

		°C	unità di pH	µS/cm	mg/L	mg/L (CaCO3)	mg/L (HCO3)
Codice_RER	DATA	Temperatura	pH	Conducibilità elettrica specifica (20°C)	Ossigeno disciolto	Durezza	Bicarbonati
PR01-01	02/05/2013	16,2	8,2	516		275	349
PR01-01	03/09/2013	19,8	8,2	503		269	345
PR04-01	13/05/2013	14,1	8,1	722		280	542
PR04-01	03/09/2013	13,9	8,1	737		282	546
PR05-00	07/05/2013	15,8	7,8	721		378	363
PR05-00	10/09/2013	14,1	7,6	712		380	360
PR06-01	02/05/2013	17,8	8,2	482		253	346
PR06-01	03/09/2013	17,1	8,2	495		260	353
PR09-01	23/04/2013	11,5	8	729		396	445
PR09-01	17/09/2013	19,4	7,8	735		392	454
PR17-01	23/04/2013	15,4	8,2	699		276	478
PR17-01	17/09/2013	14,9	8	693		275	471
PR19-01	23/04/2013	18,6	8,3	948		240	319
PR19-01	17/09/2013	15,4	8	1013		284	426
PR20-00	13/05/2013	13	7,7	757		405	404
PR20-00	23/09/2013	13,1	7,7	770		408	415
PR21-01	02/05/2013	15,9	7,8	855		460	558
PR21-01	03/09/2013	17,5	7,6	843		443	518
PR23-00	02/05/2013	17,1	7,8	918	7,8	475	416
PR23-00	03/09/2013	18,4	7,9	839	7,4	440	407
PR24-02	02/05/2013	14,8	7,8	745		421	422
PR24-02	04/09/2013	14,9	7,5	751		420	424
PR25-00	02/05/2013	14,7	8	689		395	443
PR25-00	04/09/2013	15	7,8	728		400	446
PR32-00	07/05/2013	14	7,7	946	7,1	496	427
PR32-00	10/09/2013	14,2	7,5	926	7,1	498	419
PR34-00	07/05/2013	14,4	7,8	615		277	304
PR34-00	10/09/2013	14,2	7,8	603		285	304

		mg/L (O2)	µg/L	mg/L (Cl)	µg/L (F)	mg/L (SO4)	mg/L (PO4)	mg/L (NO3)	µg/L (NO2)	µg/L (NH4)	µg/L
Codice_RER	DATA	Ossidabilità	Boro	Cloruri	Fluoruri	Solfati	Ortofosfato	Nitrati	Nitriti	lone Ammonio	Cianuri liberi
PR01-01	02/05/2013	1	93	15,5	76	14,2	0,06	<1	<30	720	
PR01-01	03/09/2013	<0.5	84	14	79	13,3	<0.01	<1	<30	720	
PR04-01	13/05/2013	1,6	288	11,4	274	<1	0,03	<1	<30	586	
PR04-01	03/09/2013	1,4	297	10	286	<1	0,02	1,6	<30	4000	
PR05-00	07/05/2013	<0.5	81	36,6	89	42,3	<0.01	33,1	130	60	
PR05-00	10/09/2013	0,5	78	36,5	91	46,3	<0.01	37,6	<30	<20	
PR06-01	02/05/2013	1,1	96	12,8	71	1,2	<0.01	<1	<30	454	
PR06-01	03/09/2013	10,8	84	11,6	85	5,9	0,06	<1	<30	790	
PR09-01	23/04/2013	0,7	163	35	183	30,1	0,01	<1	<30	420	<10
PR09-01	17/09/2013	0,6	183	35,6	189	32,3	0,03	1,4	<30	850	<10
PR17-01	23/04/2013	2,2	642	10	96	10,6	0,23	<1	<30	1100	
PR17-01	17/09/2013	1,2	669	25,9	141	12,6	0,09	1,3	<30	1050	
PR19-01	23/04/2013	1,3	607	191,8	121	1,3	<0.01	<1	<30	2250	
PR19-01	17/09/2013	1,4	872	166,6	131	<1	<0.01	1	<30	1650	
PR20-00	13/05/2013	0,6	73	27,8	117	43,8	<0.01	44,1	<30	<20	
PR20-00	23/09/2013	<0.5	84	27,6	116	45,1	0,012	46,7	<30	<20	
PR21-01	02/05/2013	1,2	179	18,8	152	40	<0.01	16,8	<30	90	
PR21-01	03/09/2013	0,6	119	21	238	34,2	0,01	31,8	<30	<20	
PR23-00	02/05/2013	0,6	121	79,5	54	51,3	<0.01	49,6	<30	<20	
PR23-00	03/09/2013	0,5	112	73	71	50,8	<0.01	46,6	<30	<20	
PR24-02	02/05/2013	0,5	88	30,5	108	39,2	<0.01	35,3	<30	<20	
PR24-02	04/09/2013	<0.5	79	29,4	128	39,9	<0.01	35,2	<30	<20	
PR25-00	02/05/2013	0,9	95	16,8	108	49,4	0,04	<1	<30	250	
PR25-00	04/09/2013	0,9	107	18,4	142	49,1	0,04	1,5	<30	350	
PR32-00	07/05/2013	<0.5	69	73	130	39,9	<0.01	71,9	<30	<20	
PR32-00	10/09/2013	<0.5	59	70	131	42,9	<0.01	76,5	<30	<20	
PR34-00	07/05/2013	<0.5	86	39,1	140	35,6	<0.01	14	<30	<20	<10
PR34-00	10/09/2013	0,5	77	39	141	38,2	<0.01	17	<30	<20	<10

Codice_RER	DATA	mg/L Calcio	mg/L Magnesio	mg/L Sodio	mg/L Potassio	µg/L Ferro	µg/L Manganese	µg/L Antimonio	µg/L Arsenico	µg/L Bario	µg/L Cadmio	µg/L Cromo	µg/L Cromo (VI)	µg/L Mercurio
PR01-01	02/05/2013	67,6	27,2	19,2	1,6	572	157		<1	149	<0.5	<2	<2	
PR01-01	03/09/2013	65,7	27,5	19,2	1,6	933	164		<1	141	<0.5	<2	<2	
PR04-01	13/05/2013	50,7	38,9	75,2	2	1390	57		14	210	<0.5	<2	<2	
PR04-01	03/09/2013	50,7	39,1	75,2	1,1	1850	57		15	217	<0.5	<2	<2	
PR05-00	07/05/2013	130	15,3	17,8	2,2	<20	6		<1	279	<0.5	<2	<2	
PR05-00	10/09/2013	127,9	15	17,9	2,3	<20	<5		<1	255	<0.5	<2	<2	
PR06-01	02/05/2013	62,1	25,2	19	1,6	1065	218		1,4	112	<0.5	<2	<2	
PR06-01	03/09/2013	64,8	25,4	19,5	1,6	647	189		<1	111	<0.5	<2	<2	
PR09-01	23/04/2013	89	42,3	24,6	2,2	97	356	<1	<1	89	<0.5	<2	<2	<0.1
PR09-01	17/09/2013	85,8	43,7	24,1	3,9	<20	<5	<1	<1	67	<0.5	<2	<2	<0.1
PR17-01	23/04/2013	75,1	21,1	67	6,1	81	154		<1	95	<0.5	<2	<2	
PR17-01	17/09/2013	74,7	21,3	65,7	6,9	21	<5		<1	62	<0.5	<2	<2	
PR19-01	23/04/2013	54,4	25,2	120,8	8	1225	77		<1	152	<0.5	<2	<2	
PR19-01	17/09/2013	64,3	31,6	126	10	2275	<5		<1	132	<0.5	<2	<2	
PR20-00	13/05/2013	128,1	19,7	21,1	2,4	<20	<5		<1	153	<0.5	<2	<2	
PR20-00	23/09/2013	126,4	20,3	20,8	2,5	<20	5		<1	156	<0.5	<2		
PR21-01	02/05/2013	121,2	38,6	30,5	1,4	109	894		<1	118	<0.5	<2	<2	
PR21-01	03/09/2013	122,2	33,5	23,2	1,5	<20	183		<1	142	<0.5	<2	<2	
PR23-00	02/05/2013	130,5	36,8	37	4,1	<20	<5		<1	202	<0.5	<2	<2	
PR23-00	03/09/2013	115,6	34,4	34,3	4,3	<20	<5		<1	180	<0.5	<2	<2	
PR24-02	02/05/2013	118,4	31,6	14,1	2,2	<20	<5		<1	318	<0.5	<2	<2	
PR24-02	04/09/2013	116,6	31,2	13,1	2,2	<20	<5		<1	173	<0.5	<2	<2	
PR25-00	02/05/2013	109,5	32,3	12,9	2,5	1625	292		<1	324	<0.5	<2	<2	
PR25-00	04/09/2013	104	32,8	18,4	2,4	1975	345		<1	172	<0.5	<2	<2	
PR32-00	07/05/2013	166,5	20	21,3	2,3	<20	<5		<1	345	<0.5	<2	<2	
PR32-00	10/09/2013	165,8	21,5	21,6	2,3	<20	<5		<1	258	<0.5	<2	<2	
PR34-00	07/05/2013	90,7	13,9	29,9	4,7	<20	<5	<1	<1	176	<0.5	<2	<2	<0.1
PR34-00	10/09/2013	90,8	13,6	28,8	4,6	<20	<5	<1	<1	177	<0.5	<2	<2	<0.1

		µg/l	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Codice_RER	DATA	Nichel	Piombo	Rame	Selenio	Vanadio	Zinco	Sommatoria composti alifatici alogenati totali
PR01-01	02/05/2013	<2	<2	<5			37	
PR01-01	03/09/2013	<2	<2	<5			19	
PR04-01	13/05/2013	<2	<2	<5			175	
PR04-01	03/09/2013	<2	<2	<5			240	0
PR05-00	07/05/2013	<2	<2	<5			26	0
PR05-00	10/09/2013	<2	<2	<5			19	0
PR06-01	02/05/2013	7	<2	<5			54	
PR06-01	03/09/2013	<2	<2	<5			12	0
PR09-01	23/04/2013	3	<2	<5	<2	<5	25	0
PR09-01	17/09/2013	5	<2	<5	<2	<5	<10	0
PR17-01	23/04/2013	<2	<2	<5			<10	
PR17-01	17/09/2013	<2	<2	<5			<10	0
PR19-01	23/04/2013	<2	<2	<5			<10	
PR19-01	17/09/2013	<2	<2	<5			<10	0
PR20-00	13/05/2013	<2	<2	<5			<10	
PR20-00	23/09/2013	<2	<2	<5			14	0
PR21-01	02/05/2013	2	<2	<5			59	0
PR21-01	03/09/2013	2	<2	<5			34	0
PR23-00	02/05/2013	<2	<2	11			52	0,7
PR23-00	03/09/2013	2	<2	8			42	
PR24-02	02/05/2013	<2	<2	<5			<10	0
PR24-02	04/09/2013	<2	<2	<5			<10	0
PR25-00	02/05/2013	<2	<2	<5			<10	0
PR25-00	04/09/2013	10	<2	<5			<10	0
PR32-00	07/05/2013	<2	<2	<5			<10	
PR32-00	10/09/2013	<2	<2	<5			12	0
PR34-00	07/05/2013	<2	<2	<5	<2	<5	70	0,6
PR34-00	10/09/2013	<2	<2	<5	<2	<5	34	0,3

		µg/L	µg/L	µg/L
Codice_RER	DATA	Sommatoria organoalogenati (6 clorurati cancerogeni D.Lgs. 30/09)	Triclorometano	Cloruro di vinile (CVM)
PR01-01	02/05/2013			
PR01-01	03/09/2013			
PR04-01	13/05/2013			
PR04-01	03/09/2013	0	<0.05	<0.1
PR05-00	07/05/2013	0	<0.05	<0.1
PR05-00	10/09/2013	0	<0.05	<0.1
PR06-01	02/05/2013			
PR06-01	03/09/2013	0	<0.05	<0.1
PR09-01	23/04/2013	0	<0.05	<0.1
PR09-01	17/09/2013	0	<0.05	<0.1
PR17-01	23/04/2013			
PR17-01	17/09/2013	0	<0.05	<0.1
PR19-01	23/04/2013			
PR19-01	17/09/2013	0	<0.05	<0.1
PR20-00	13/05/2013			
PR20-00	23/09/2013	0	<0.05	<0.1
PR21-01	02/05/2013	0	<0.05	<0.1
PR21-01	03/09/2013	0	<0.05	<0.1
PR23-00	02/05/2013	0,1	<0.05	<0.1
PR23-00	03/09/2013			
PR24-02	02/05/2013	0	<0.05	<0.1
PR24-02	04/09/2013	0	<0.05	<0.1
PR25-00	02/05/2013	0	<0.05	<0.1
PR25-00	04/09/2013	0	<0.05	<0.1
PR32-00	07/05/2013			
PR32-00	10/09/2013	0	<0.05	<0.1
PR34-00	07/05/2013	0,6	<0.05	<0.1
PR34-00	10/09/2013	0,3	<0.05	<0.1

Codice_RER	DATA	µg/L 1,2-Dicloroetano	µg/L Tricloroetilene	µg/L Tetracloroetilene	µg/L Esaclorobutadiene	µg/L 1,1-Dicloroetilene	µg/L 1,1-Dicloroetano
PR01-01	02/05/2013						
PR01-01	03/09/2013						
PR04-01	13/05/2013						
PR04-01	03/09/2013	<1	<0.1	<0.1	<0.05		
PR05-00	07/05/2013	<1	<0.1	<0.1	<0.05		
PR05-00	10/09/2013	<1	<0.1	<0.1	<0.05		
PR06-01	02/05/2013						
PR06-01	03/09/2013	<1	<0.1	<0.1	<0.05		
PR09-01	23/04/2013	<1	<0.1	<0.1	<0.05		
PR09-01	17/09/2013	<1	<0.1	<0.1	<0.05		
PR17-01	23/04/2013						
PR17-01	17/09/2013	<1	<0.1	<0.1	<0.05		
PR19-01	23/04/2013						
PR19-01	17/09/2013	<1	<0.1	<0.1	<0.05		
PR20-00	13/05/2013						
PR20-00	23/09/2013	<1	<0.1	<0.1	<0.05		
PR21-01	02/05/2013	<1	<0.1	<0.1	<0.05		
PR21-01	03/09/2013	<1	<0.1	<0.1	<0.05		
PR23-00	02/05/2013	<1	<0.1	0,1	<0.05		
PR23-00	03/09/2013						
PR24-02	02/05/2013	<1	<0.1	<0.1	<0.05		
PR24-02	04/09/2013	<1	<0.1	<0.1	<0.05		
PR25-00	02/05/2013	<1	<0.1	<0.1	<0.05		
PR25-00	04/09/2013	<1	<0.1	<0.1	<0.05		
PR32-00	07/05/2013						
PR32-00	10/09/2013	<1	<0.1	<0.1	<0.05		
PR34-00	07/05/2013	<1	0,3	0,3	<0.05		
PR34-00	10/09/2013	<1	<0.1	0,3	<0.05		

		µg/L		µg/L	µg/L	µg/L
Codice_RER	DATA	1,2-Dicloroetilene	1,2-Dicloroetilene-cis	1,1,1-Tricloroetano	Tribromometano	Dibromoclorometano
PR01-01	02/05/2013					
PR01-01	03/09/2013					
PR04-01	13/05/2013					
PR04-01	03/09/2013	<1		<0.1	<0.1	<0.05
PR05-00	07/05/2013	<1		<0.1	<0.1	<0.05
PR05-00	10/09/2013	<1		<0.1	<0.1	<0.05
PR06-01	02/05/2013					
PR06-01	03/09/2013	<1		<0.1	<0.1	<0.05
PR09-01	23/04/2013	<1		<0.1	<0.1	<0.05
PR09-01	17/09/2013	<1		<0.1	<0.1	<0.05
PR17-01	23/04/2013					
PR17-01	17/09/2013	<1		<0.1	<0.1	<0.05
PR19-01	23/04/2013					
PR19-01	17/09/2013	<1		<0.1	<0.1	<0.05
PR20-00	13/05/2013					
PR20-00	23/09/2013	<1		<0.1	<0.1	<0.05
PR21-01	02/05/2013	<1		<0.1	<0.1	<0.05
PR21-01	03/09/2013	<1		<0.1	<0.1	<0.05
PR23-00	02/05/2013	<1		<0.1	<0.1	<0.05
PR23-00	03/09/2013					
PR24-02	02/05/2013	<1		<0.1	<0.1	<0.05
PR24-02	04/09/2013	<1		<0.1	<0.1	<0.05
PR25-00	02/05/2013	<1		<0.1	<0.1	<0.05
PR25-00	04/09/2013	<1		<0.1	<0.1	<0.05
PR32-00	07/05/2013					
PR32-00	10/09/2013	<1		<0.1	<0.1	<0.05
PR34-00	07/05/2013	<1		<0.1	<0.1	<0.05
PR34-00	10/09/2013	<1		<0.1	<0.1	<0.05

		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Codice_RER	DATA	Bromodichlorometano	Tetrachlorometano	Benzene	Etilbenzene	Toluene	Xilene (O)	Xileni (M+P)	Benzo(a)pirene
PR01-01	02/05/2013								
PR01-01	03/09/2013								
PR04-01	13/05/2013								
PR04-01	03/09/2013	<0.05	<0.1						
PR05-00	07/05/2013	<0.05	<0.1						
PR05-00	10/09/2013	<0.05	<0.1						
PR06-01	02/05/2013								
PR06-01	03/09/2013	<0.05	<0.1						
PR09-01	23/04/2013	<0.05	<0.1	<0.1	<1	<1	<1	<1	<0.005
PR09-01	17/09/2013	<0.05	<0.1	<0.1	<1	<1	<1	<1	<0.005
PR17-01	23/04/2013								
PR17-01	17/09/2013	<0.05	<0.1						
PR19-01	23/04/2013								
PR19-01	17/09/2013	<0.05	<0.1						
PR20-00	13/05/2013								
PR20-00	23/09/2013	<0.05	<0.1						
PR21-01	02/05/2013	<0.05	<0.1						
PR21-01	03/09/2013	<0.05	<0.1						
PR23-00	02/05/2013	<0.05	0,6						
PR23-00	03/09/2013								
PR24-02	02/05/2013	<0.05	<0.1						
PR24-02	04/09/2013	<0.05	<0.1						
PR25-00	02/05/2013	<0.05	<0.1						
PR25-00	04/09/2013	<0.05	<0.1						
PR32-00	07/05/2013								
PR32-00	10/09/2013	<0.05	<0.1						
PR34-00	07/05/2013	<0.05	<0.1	<0.1	<1	<1	<1	<1	<0.005
PR34-00	10/09/2013	<0.05	<0.1	<0.1	<1	<1	<1	<1	<0.005

		µg/L	µg/L	µg/L	µg/L	µg/L
Codice_RER	DATA	Dibenzo(a,h)antracene	Benzo(b)fluorantene	Benzo(k)fluorantene	Benzo(g,h,i)perilene	Indeno (1,2,3-c,d) pirene
PR01-01	02/05/2013					
PR01-01	03/09/2013					
PR04-01	13/05/2013					
PR04-01	03/09/2013					
PR05-00	07/05/2013					
PR05-00	10/09/2013					
PR06-01	02/05/2013					
PR06-01	03/09/2013					
PR09-01	23/04/2013	<0.005	<0.01	<0.01	<0.005	<0.01
PR09-01	17/09/2013	<0.005	<0.01	<0.01	<0.005	<0.01
PR17-01	23/04/2013					
PR17-01	17/09/2013					
PR19-01	23/04/2013					
PR19-01	17/09/2013					
PR20-00	13/05/2013					
PR20-00	23/09/2013					
PR21-01	02/05/2013					
PR21-01	03/09/2013					
PR23-00	02/05/2013					
PR23-00	03/09/2013					
PR24-02	02/05/2013					
PR24-02	04/09/2013					
PR25-00	02/05/2013					
PR25-00	04/09/2013					
PR32-00	07/05/2013					
PR32-00	10/09/2013					
PR34-00	07/05/2013	<0.005	<0.01	<0.01	<0.005	<0.01
PR34-00	10/09/2013	<0.005	<0.01	<0.01	<0.005	<0.01

		µg/L	µg/L	µg/L	µg/L	µg/L
Codice_RER	DATA	Idrocarburi policiclici aromatici (somma di 221, 259, 222,224)	ETBE	MTBE	Monoclorobenzene	1,4-Diclorobenzene
PR01-01	02/05/2013					
PR01-01	03/09/2013					
PR04-01	13/05/2013					
PR04-01	03/09/2013		<0.5	<0.5		
PR05-00	07/05/2013		<0.5	<0.5		
PR05-00	10/09/2013		<0.5	<0.5		
PR06-01	02/05/2013					
PR06-01	03/09/2013		<0.5	<0.5		
PR09-01	23/04/2013	0,00	<0.5	<0.5	<1	<0.1
PR09-01	17/09/2013	0,00	<0.5	<0.5	<1	<0.1
PR17-01	23/04/2013					
PR17-01	17/09/2013		<0.5	<0.5		
PR19-01	23/04/2013					
PR19-01	17/09/2013		<0.5	<0.5		
PR20-00	13/05/2013					
PR20-00	23/09/2013		<0.5	<0.5		
PR21-01	02/05/2013		<0.5	<0.5		
PR21-01	03/09/2013		<0.5	<0.5		
PR23-00	02/05/2013		<0.5	<0.5		
PR23-00	03/09/2013					
PR24-02	02/05/2013		<0.5	<0.5		
PR24-02	04/09/2013		<0.5	<0.5		
PR25-00	02/05/2013		<0.5	<0.5		
PR25-00	04/09/2013		<0.5	<0.5		
PR32-00	07/05/2013					
PR32-00	10/09/2013		<0.5	<0.5		
PR34-00	07/05/2013	0,00	<0.5	<0.5	<1	<0.1
PR34-00	10/09/2013	0,00	<0.5	<0.5	<1	<0.1

Codice_RER	DATA	µg/L 1,2,3-Triclorobenzene	µg/L 1,2,4-Triclorobenzene	µg/L 1,3,5-Triclorobenzene	UFC/100 mL Escherichia coli
PR01-01	02/05/2013				
PR01-01	03/09/2013				
PR04-01	13/05/2013				
PR04-01	03/09/2013				
PR05-00	07/05/2013				<1
PR05-00	10/09/2013				<1
PR06-01	02/05/2013				
PR06-01	03/09/2013				
PR09-01	23/04/2013	<0.1	<0.1	<0.1	
PR09-01	17/09/2013	<0.1	<0.1	<0.1	
PR17-01	23/04/2013				
PR17-01	17/09/2013				
PR19-01	23/04/2013				
PR19-01	17/09/2013				
PR20-00	13/05/2013				<1
PR20-00	23/09/2013				<1
PR21-01	02/05/2013				
PR21-01	03/09/2013				
PR23-00	02/05/2013				
PR23-00	03/09/2013				
PR24-02	02/05/2013				
PR24-02	04/09/2013				
PR25-00	02/05/2013				
PR25-00	04/09/2013				
PR32-00	07/05/2013				<1
PR32-00	10/09/2013				<1
PR34-00	07/05/2013	<0.1	<0.1	<0.1	<1
PR34-00	10/09/2013	<0.1	<0.1	<0.1	<1

		µg/L	µg/L	µg/L
Codice_RER	DATA	Idrocarburi totali (espressi come n-esano)	Sommatoria fitofarmaci	Sommatoria (Aldrin, Dieldrin, Endrin, Isodrin)
PR01-01	02/05/2013			
PR01-01	03/09/2013			
PR04-01	13/05/2013			
PR04-01	03/09/2013			
PR05-00	07/05/2013			
PR05-00	10/09/2013			
PR06-01	02/05/2013			
PR06-01	03/09/2013		0,00	
PR09-01	23/04/2013		0,00	
PR09-01	17/09/2013		0,00	
PR17-01	23/04/2013			
PR17-01	17/09/2013		0,00	
PR19-01	23/04/2013			
PR19-01	17/09/2013		0,00	
PR20-00	13/05/2013			
PR20-00	23/09/2013			
PR21-01	02/05/2013			
PR21-01	03/09/2013			
PR23-00	02/05/2013			
PR23-00	03/09/2013			
PR24-02	02/05/2013			
PR24-02	04/09/2013			
PR25-00	02/05/2013			
PR25-00	04/09/2013			
PR32-00	07/05/2013			
PR32-00	10/09/2013		0,00	
PR34-00	07/05/2013		0,00	
PR34-00	10/09/2013		0,00	

Codice_RER	DATA	µg/L 2,4-D	µg/L 2,4-DP	µg/L 3,4 dicloroanilina	µg/L Acetamiprid	µg/L Acetoclor	µg/L Aclonifen	µg/L Alachlor	µg/L Atrazina	µg/L Atrazina Desetil
PR01-01	02/05/2013									
PR01-01	03/09/2013									
PR04-01	13/05/2013									
PR04-01	03/09/2013									
PR05-00	07/05/2013									
PR05-00	10/09/2013									
PR06-01	02/05/2013									
PR06-01	03/09/2013	<0.05	<0.05		<0.01	<0.02	<0.02		<0.01	<0.01
PR09-01	23/04/2013	<0.05	<0.05	<0.01	<0.01	<0.02	<0.02	<0.01	<0.01	<0.01
PR09-01	17/09/2013	<0.05	<0.05		<0.01	<0.02	<0.02		<0.01	<0.01
PR17-01	23/04/2013									
PR17-01	17/09/2013	<0.05	<0.05		<0.01	<0.02	<0.02		<0.01	<0.01
PR19-01	23/04/2013									
PR19-01	17/09/2013	<0.05	<0.05		<0.01	<0.02	<0.02		<0.01	<0.01
PR20-00	13/05/2013									
PR20-00	23/09/2013									
PR21-01	02/05/2013									
PR21-01	03/09/2013									
PR23-00	02/05/2013									
PR23-00	03/09/2013									
PR24-02	02/05/2013									
PR24-02	04/09/2013									
PR25-00	02/05/2013									
PR25-00	04/09/2013									
PR32-00	07/05/2013									
PR32-00	10/09/2013	<0.05	<0.05		<0.01	<0.02	<0.02		<0.01	<0.01
PR34-00	07/05/2013	<0.05	<0.05		<0.01	<0.02	<0.02		<0.01	<0.01
PR34-00	10/09/2013	<0.05	<0.05		<0.01	<0.02	<0.02		<0.01	<0.01

Codice_RER	DATA	µg/L Atrazina Desisopropil (met)	µg/L Azinfos-metile	µg/L Azoxistrobin	µg/L Bensulfuronmetile	µg/L Bentazone	µg/L Bifenazate	µg/L Boscalid
PR01-01	02/05/2013							
PR01-01	03/09/2013							
PR04-01	13/05/2013							
PR04-01	03/09/2013							
PR05-00	07/05/2013							
PR05-00	10/09/2013							
PR06-01	02/05/2013							
PR06-01	03/09/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PR09-01	23/04/2013	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01	<0.01
PR09-01	17/09/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PR17-01	23/04/2013							
PR17-01	17/09/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PR19-01	23/04/2013							
PR19-01	17/09/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PR20-00	13/05/2013							
PR20-00	23/09/2013							
PR21-01	02/05/2013							
PR21-01	03/09/2013							
PR23-00	02/05/2013							
PR23-00	03/09/2013							
PR24-02	02/05/2013							
PR24-02	04/09/2013							
PR25-00	02/05/2013							
PR25-00	04/09/2013							
PR32-00	07/05/2013							
PR32-00	10/09/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PR34-00	07/05/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PR34-00	10/09/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01

		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Codice_RER	DATA	Bupirinato	Buprofezin	Carbofuran	Cimoxanil	Ciprodinil	Clorantraniliprolo (DPX E-2Y45)	Clorfenvinfos
PR01-01	02/05/2013							
PR01-01	03/09/2013							
PR04-01	13/05/2013							
PR04-01	03/09/2013							
PR05-00	07/05/2013							
PR05-00	10/09/2013							
PR06-01	02/05/2013							
PR06-01	03/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR09-01	23/04/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR09-01	17/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR17-01	23/04/2013							
PR17-01	17/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR19-01	23/04/2013							
PR19-01	17/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR20-00	13/05/2013							
PR20-00	23/09/2013							
PR21-01	02/05/2013							
PR21-01	03/09/2013							
PR23-00	02/05/2013							
PR23-00	03/09/2013							
PR24-02	02/05/2013							
PR24-02	04/09/2013							
PR25-00	02/05/2013							
PR25-00	04/09/2013							
PR32-00	07/05/2013							
PR32-00	10/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR34-00	07/05/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR34-00	10/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01

Codice_RER	DATA	µg/L Cloridazon-iso	µg/L Clorpirifos-etile	µg/L Clorpirifos-metile	µg/L Clortoluron	µg/L Diazinone	µg/L Difenoconazolo	µg/L Dicloran	µg/L Diclorvos
PR01-01	02/05/2013								
PR01-01	03/09/2013								
PR04-01	13/05/2013								
PR04-01	03/09/2013								
PR05-00	07/05/2013								
PR05-00	10/09/2013								
PR06-01	02/05/2013								
PR06-01	03/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR09-01	23/04/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR09-01	17/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR17-01	23/04/2013								
PR17-01	17/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR19-01	23/04/2013								
PR19-01	17/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR20-00	13/05/2013								
PR20-00	23/09/2013								
PR21-01	02/05/2013								
PR21-01	03/09/2013								
PR23-00	02/05/2013								
PR23-00	03/09/2013								
PR24-02	02/05/2013								
PR24-02	04/09/2013								
PR25-00	02/05/2013								
PR25-00	04/09/2013								
PR32-00	07/05/2013								
PR32-00	10/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR34-00	07/05/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR34-00	10/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02

[illegible]

		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Codice_RER	DATA	Flufenacet	Fosalone	Imidacloprid	Indoxacarb	lprovalicarb	Isoxaflutole	Isoproturon	Kresoxim-metile	Lenacil
PR01-01	02/05/2013									
PR01-01	03/09/2013									
PR04-01	13/05/2013									
PR04-01	03/09/2013									
PR05-00	07/05/2013									
PR05-00	10/09/2013									
PR06-01	02/05/2013									
PR06-01	03/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01	<0.01
PR09-01	23/04/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01	<0.01
PR09-01	17/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01	<0.01
PR17-01	23/04/2013									
PR17-01	17/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01	<0.01
PR19-01	23/04/2013									
PR19-01	17/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01	<0.01
PR20-00	13/05/2013									
PR20-00	23/09/2013									
PR21-01	02/05/2013									
PR21-01	03/09/2013									
PR23-00	02/05/2013									
PR23-00	03/09/2013									
PR24-02	02/05/2013									
PR24-02	04/09/2013									
PR25-00	02/05/2013									
PR25-00	04/09/2013									
PR32-00	07/05/2013									
PR32-00	10/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01	<0.01
PR34-00	07/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01	<0.01
PR34-00	10/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01	<0.01

Codice_RER	DATA	µg/L Linuron	µg/L Mandipropamid	µg/L MCPA	µg/L Mepanipirim	µg/L Metossifenozone	µg/L Mecoprop	µg/L Metalaxil	µg/L Metamitron	µg/L Metazachlor
PR01-01	02/05/2013									
PR01-01	03/09/2013									
PR04-01	13/05/2013									
PR04-01	03/09/2013									
PR05-00	07/05/2013									
PR05-00	10/09/2013									
PR06-01	02/05/2013									
PR06-01	03/09/2013	<0.01	<0.01	<0.05	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01
PR09-01	23/04/2013	<0.01	<0.01	<0.05	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01
PR09-01	17/09/2013	<0.01	<0.01	<0.05	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01
PR17-01	23/04/2013									
PR17-01	17/09/2013	<0.01	<0.01	<0.05	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01
PR19-01	23/04/2013									
PR19-01	17/09/2013	<0.01	<0.01	<0.05	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01
PR20-00	13/05/2013									
PR20-00	23/09/2013									
PR21-01	02/05/2013									
PR21-01	03/09/2013									
PR23-00	02/05/2013									
PR23-00	03/09/2013									
PR24-02	02/05/2013									
PR24-02	04/09/2013									
PR25-00	02/05/2013									
PR25-00	04/09/2013									
PR32-00	07/05/2013									
PR32-00	10/09/2013	<0.01	<0.01	<0.05	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01
PR34-00	07/05/2013	<0.01	<0.01	<0.05	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01
PR34-00	10/09/2013	<0.01	<0.01	<0.05	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01

[illegible]

[illegible]

[illegible]

Codice_RER	DATA	µg/L Tiacloprid	µg/L Tiametoxam	µg/L Tiobencarb	µg/L Trifloxistrobin	µg/L Triticonazolo	µg/L Zoxamide
PR01-01	02/05/2013						
PR01-01	03/09/2013						
PR04-01	13/05/2013						
PR04-01	03/09/2013						
PR05-00	07/05/2013						
PR05-00	10/09/2013						
PR06-01	02/05/2013						
PR06-01	03/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR09-01	23/04/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR09-01	17/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR17-01	23/04/2013						
PR17-01	17/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR19-01	23/04/2013						
PR19-01	17/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR20-00	13/05/2013						
PR20-00	23/09/2013						
PR21-01	02/05/2013						
PR21-01	03/09/2013						
PR23-00	02/05/2013						
PR23-00	03/09/2013						
PR24-02	02/05/2013						
PR24-02	04/09/2013						
PR25-00	02/05/2013						
PR25-00	04/09/2013						
PR32-00	07/05/2013						
PR32-00	10/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR34-00	07/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR34-00	10/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02

		°C	unità di pH	µS/cm	mg/L	mg/L (CaCO3)	mg/L (HCO3)
Codice_RER	DATA	Temperatura	pH	Conducibilità elettrica specifica (20°C)	Ossigeno disciolto	Durezza	Bicarbonati
PR38-01	13/05/2013	14,1	7,7	702	6,5	365	392
PR38-01	12/09/2013	16,5	7,5	712	1,1	369	396
PR39-00	07/05/2013	13,9	7,7	834	2,4	435	401
PR39-00	10/09/2013	13,8	7,7	823	6,2	443	417
PR40-03	23/05/2013	13,8	7,6	893	8	486	497
PR40-03	17/09/2013	16,1	7,6	814	10	456	436
PR44-01	07/05/2013	16	7,7	833	8	466	456
PR44-01	10/09/2013	21,4	7,6	840	7,7	473	461
PR45-01	07/05/2013	14,3	7,7	654	2,8	341	386
PR45-01	10/09/2013	14,2	7,6	652	4,6	341	387
PR47-01	09/05/2013	17,6	8	803	5,4	397	345
PR47-01	02/09/2013	22,7	7,8	786	6,8	378	357
PR54-01	07/05/2013	13,4	7,6	784	5,2	408	357
PR54-01	10/09/2013	13,5	7,6	754		402	354
PR57-02	21/05/2013	14,4	7,7	847		444	452
PR57-02	02/09/2013	15,7	7,9	831	1,6	444	429
PR61-02	21/05/2013	12,9	7,5	998	6,2	528	569
PR61-02	02/09/2013	14,3	7,6	965	6,8	510	441
PR61-04	21/05/2013	14	7,5	909		473	440
PR61-04	02/09/2013	16,7	7,6	882		458	437
PR61-05	21/05/2013	13,8	7,7	664	7,6	329	360
PR61-05	02/09/2013	14,2	7,8	646	6,8	324	340
PR65-00	02/05/2013	15,6	7,9	843	6,2	450	436
PR65-00	03/09/2013	20,6	8	807	6,2	414	448
PR66-01	09/05/2013	15,4	8,1	403	3,4	209	221
PR66-01	12/09/2013	19,2	7,8	404	3,6	214	222
PR68-00	09/05/2013	14,8	7,8	1115	8,8	480	367
PR68-00	17/09/2013	15,1	7,7	978	9,2	464	374

		mg/L (O2)	µg/L	mg/L (Cl)	µg/L (F)	mg/L (SO4)	mg/L (PO4)	mg/L (NO3)	µg/L (NO2)	µg/L (NH4)	µg/L
Codice_RER	DATA	Ossidabilità	Boro	Cloruri	Fluoruri	Solfati	Ortofosfato	Nitrati	Nitriti	Ione Ammonio	Cianuri liberi
PR38-01	13/05/2013	0,6	71	43,5	159	39,7	0,02	<1	<30	130	
PR38-01	12/09/2013	0,9	80	47,5	146	41,1	<0.01	1,6	<30	140	
PR39-00	07/05/2013	<0.5	131	56,3	79	61,2	<0.01	27,1	<30	<20	<10
PR39-00	10/09/2013	<0.5	118	51	79	66,2	<0.01	31,3	<30	<20	<10
PR40-03	23/05/2013	0,8	<50	21	81	43,3	<0.01	78	<30	<20	
PR40-03	17/09/2013	<0.5	96	25,5	81	63,2	<0.01	56,5	<30	<20	
PR44-01	07/05/2013	<0.5	88	20	130	47	<0.01	58,6	<30	<20	
PR44-01	10/09/2013	<0.5	78	20,1	126	50,8	<0.01	64,2	<30	<20	
PR45-01	07/05/2013	<0.5	61	21,2	104	15,4	<0.01	27,2	<30	<20	
PR45-01	10/09/2013	<0.5	57	19,8	105	18,3	<0.01	27,5	<30	<20	
PR47-01	09/05/2013	<0.5	84	54,8	96	46,3	<0.01	64,6	<30	<20	
PR47-01	02/09/2013	0,6	93	55,6	119	42,5	<0.01	50,8	<30	<20	
PR54-01	07/05/2013	<0.5	88	40,5	71	42,8	<0.01	73,1	<30	<20	
PR54-01	10/09/2013	<0.5	83	40,3	73	45,7	<0.01	68,2	<30	<20	
PR57-02	21/05/2013	3,2	97	37,3	81	100,4	<0.01	<1	<30	464	
PR57-02	02/09/2013	0,7	97	36,7	85	106,8	<0.01	<1	<30	440	
PR61-02	21/05/2013	0,8	74	43,8	95	45,5	<0.01	<1	<30	<20	
PR61-02	02/09/2013	0,7	75	44,3	102	52,3	<0.01	116,1	<30	<20	
PR61-04	21/05/2013	1	81	41,6	120	45,3	<0.01	121,1	<30	<20	
PR61-04	02/09/2013	0,6	90	38	128	48,5	<0.01	85,5	<30	<20	
PR61-05	21/05/2013	0,9	78	26,3	98	39,5	<0.01	36,5	<30	<20	
PR61-05	02/09/2013	0,7	75	22,8	114	42,4	<0.01	31,8	<30	<20	
PR65-00	02/05/2013	1,1	165	33	56	55,8	<0.01	66,1	<30	<20	
PR65-00	03/09/2013	<0.5	153	29,6	64	58	<0.01	31,1	430	<20	
PR66-01	09/05/2013	<0.5	64	12,4	131	27	<0.01	5,7	<30	<20	
PR66-01	12/09/2013	0,6	68	12,8	125	27,8	<0.01	8,9	<30	<20	
PR68-00	09/05/2013	<0.5	100	176,8	126	38,9	<0.01	36,3	<30	<20	
PR68-00	17/09/2013	<0.5	106	132,1	118	42,6	<0.01	<1	<30	<20	

Codice_RER	DATA	mg/L Calcio	mg/L Magnesio	mg/L Sodio	mg/L Potassio	µg/L Ferro	µg/L Manganese	µg/L Antimonio	µg/L Arsenico	µg/L Bario	µg/L Cadmio	µg/L Cromo	µg/L Cromo (VI)	µg/L Mercurio
PR38-01	13/05/2013	107,7	22,5	25,5	2	2460	489		<1	158	<0.5	<2	<2	
PR38-01	12/09/2013	106,7	22,7	25	2,1	7995	575		1	167	<0.5	<2	<2	
PR39-00	07/05/2013	120,6	33,5	23,9	3	<20	<5	<1	<1	123	<0.5	<2	<2	<0.1
PR39-00	10/09/2013	123,8	33,5	23,9	3,1	<20	<5	<1	<1	122	<0.5	<2	<2	<0.1
PR40-03	23/05/2013	157	22,8	17,2	2,2	<20	<5		<1	316	<0.5	<2	<2	
PR40-03	17/09/2013	148	22,4	18,2	2,2	<20	<5		<1	217	<0.5	<2	<2	
PR44-01	07/05/2013	145,6	26,1	18,4	2,9	<20	<5		<1	173	<0.5	<2	<2	
PR44-01	10/09/2013	143,7	25,5	16,7	2,8	<20	<5		<1	173	<0.5	<2	<2	
PR45-01	07/05/2013	106,3	18,6	19,5	1,6	<20	<5		<1	158	<0.5	<2	<2	
PR45-01	10/09/2013	107,4	18,2	18,4	1,7	<20	<5		<1	157	<0.5	<2	<2	
PR47-01	09/05/2013	132,5	15,1	33,6	4,2	21	<5		<1	169	<0.5	<2	<2	
PR47-01	02/09/2013	125,8	14,6	31,8	4,4	<20	<5		<1	169	<0.5	<2	<2	
PR54-01	07/05/2013	141,5	15,4	18,4	2,4	<20	<5		<1	291	<0.5	<2	<2	
PR54-01	10/09/2013	137,6	14,7	17,7	2,6	<20	<5		<1	269	<0.5	<2	<2	
PR57-02	21/05/2013	138,1	23,6	28,4	3,9	1965	87		<1	129	<0.5	<2	<2	
PR57-02	02/09/2013	138,6	23,6	29,5	4	2720	124		<1	129	<0.5	<2	<2	
PR61-02	21/05/2013	177	20,1	26,3	2,6	<20	<5		<1	269	<0.5	<2	<2	
PR61-02	02/09/2013	172,2	19,6	26,1	2,8	<20	<5		<1	178	<0.5	<2	<2	
PR61-04	21/05/2013	161,4	18,4	27,7	4	<20	<5		<1	161	<0.5	<2	<2	
PR61-04	02/09/2013	150,7	18,2	26,8	4,2	<20	<5		<1	152	<0.5	<2	<2	
PR61-05	21/05/2013	106,4	15,6	25,8	2,5	<20	<5		<1	167	<0.5	<2	<2	
PR61-05	02/09/2013	101,6	15	25,6	2,5	<20	<5		<1	155	<0.5	<2	<2	
PR65-00	02/05/2013	121,5	36	33,4	4,8	<20	<5		<1	161	<0.5	<2	<2	
PR65-00	03/09/2013	103,3	33,4	33,3	4,7	<20	18		<1	156	<0.5	<2	<2	
PR66-01	09/05/2013	73	7,9	10,8	1,2	<20	<5		<1	148	<0.5	<2	<2	
PR66-01	12/09/2013	72,9	8,3	10,7	1,3	<20	11		<1	150	<0.5	<2	<2	
PR68-00	09/05/2013	165,1	17,6	62,3	2,2	<20	<5		<1	305	<0.5	<2	<2	
PR68-00	17/09/2013	150,7	18,6	44,2	2,3	<20	<5		<1	260	<0.5	<2		

Codice_RER	DATA	µg/l	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
		Nichel	Piombo	Rame	Selenio	Vanadio	Zinco	Sommatoria composti alifatici alogenati totali
PR38-01	13/05/2013	<2	<2	<5			270	0
PR38-01	12/09/2013	2	<2	<5			738	0
PR39-00	07/05/2013	<2	<2	<5	<2	<5	60	0
PR39-00	10/09/2013	<2	<2	<5	<2	<5	42	0
PR40-03	23/05/2013	<2	<2	<5			107	0
PR40-03	17/09/2013	<2	<2	<5			<10	0
PR44-01	07/05/2013	<2	<2	<5			17	0
PR44-01	10/09/2013	<2	<2	<5			14	0
PR45-01	07/05/2013	<2	<2	<5			17	0
PR45-01	10/09/2013	2	<2	<5			<10	0
PR47-01	09/05/2013	<2	<2	20			202	9,3
PR47-01	02/09/2013	<2	<2	10			47	3
PR54-01	07/05/2013	3	<2	<5			17	0,2
PR54-01	10/09/2013	<2	<2	<5			<10	0
PR57-02	21/05/2013	<2	<2	<5			<10	
PR57-02	02/09/2013	<2	<2	<5			<10	0
PR61-02	21/05/2013	<2	<2	<5			<10	
PR61-02	02/09/2013	<2	<2	<5			<10	
PR61-04	21/05/2013	<2	<2	<5			<10	
PR61-04	02/09/2013	<2	<2	<5			<10	0
PR61-05	21/05/2013	<2	<2	<5			<10	0
PR61-05	02/09/2013	<2	<2	<5			<10	0
PR65-00	02/05/2013	8	<2	6			530	0
PR65-00	03/09/2013	4	<2	<5			2330	0
PR66-01	09/05/2013	<2	<2	<5			382	0
PR66-01	12/09/2013	<2	<2	<5			497	0
PR68-00	09/05/2013	<2	<2	<5			273	1,4
PR68-00	17/09/2013	<2	<2	<5			<10	0

		µg/L	µg/L	µg/L
Codice_RER	DATA	Sommatoria organoalogenati (6 clorurati cancerogeni D.Lgs. 30/09)	Triclorometano	Cloruro di vinile (CVM)
PR38-01	13/05/2013	0	<0.05	<0.1
PR38-01	12/09/2013	0	<0.05	<0.1
PR39-00	07/05/2013	0	<0.05	<0.1
PR39-00	10/09/2013	0	<0.05	<0.1
PR40-03	23/05/2013	0	<0.05	<0.1
PR40-03	17/09/2013	0	<0.05	<0.1
PR44-01	07/05/2013	0	<0.05	<0.1
PR44-01	10/09/2013	0	<0.05	<0.1
PR45-01	07/05/2013	0	<0.05	<0.1
PR45-01	10/09/2013	0	<0.05	<0.1
PR47-01	09/05/2013	9,3	<0.05	<0.1
PR47-01	02/09/2013	3	<0.05	<0.1
PR54-01	07/05/2013	0	<0.05	<0.1
PR54-01	10/09/2013	0	<0.05	<0.1
PR57-02	21/05/2013			
PR57-02	02/09/2013	0	<0.05	<0.1
PR61-02	21/05/2013			
PR61-02	02/09/2013			
PR61-04	21/05/2013			
PR61-04	02/09/2013	0	<0.05	<0.1
PR61-05	21/05/2013	0	<0.05	<0.1
PR61-05	02/09/2013	0	<0.05	<0.1
PR65-00	02/05/2013	0	<0.05	<0.1
PR65-00	03/09/2013	0	<0.05	<0.1
PR66-01	09/05/2013	0	<0.05	<0.1
PR66-01	12/09/2013	0	<0.05	<0.1
PR68-00	09/05/2013	1,4	1,4	<0.1
PR68-00	17/09/2013	0	<0.05	<0.1

Codice_RER	DATA	µg/L 1,2-Dicloroetano	µg/L Tricloroetilene	µg/L Tetracloroetilene	µg/L Esaclorobutadiene	µg/L 1,1-Dicloroetilene	µg/L 1,1-Dicloroetano
PR38-01	13/05/2013	<1	<0.1	<0.1	<0.05		
PR38-01	12/09/2013	<1	<0.1	<0.1	<0.05		
PR39-00	07/05/2013	<1	<0.1	<0.1	<0.05		
PR39-00	10/09/2013	<1	<0.1	<0.1	<0.05		
PR40-03	23/05/2013	<1	<0.1	<0.1	<0.05		
PR40-03	17/09/2013	<1	<0.1	<0.1	<0.05		
PR44-01	07/05/2013	<1	<0.1	<0.1	<0.05		
PR44-01	10/09/2013	<1	<0.1	<0.1	<0.05		
PR45-01	07/05/2013	<1	<0.1	<0.1	<0.05		
PR45-01	10/09/2013	<1	<0.1	<0.1	<0.05		
PR47-01	09/05/2013	<1	<0.1	9,3	<0.05		
PR47-01	02/09/2013	<1	<0.1	3	<0.05		
PR54-01	07/05/2013	<1	<0.1	<0.1	<0.05		
PR54-01	10/09/2013	<1	<0.1	<0.1	<0.05		
PR57-02	21/05/2013						
PR57-02	02/09/2013	<1	<0.1	<0.1	<0.05		
PR61-02	21/05/2013						
PR61-02	02/09/2013						
PR61-04	21/05/2013						
PR61-04	02/09/2013	<1	<0.1	<0.1	<0.05		
PR61-05	21/05/2013	<1	<0.1	<0.1	<0.05		
PR61-05	02/09/2013	<1	<0.1	<0.1	<0.05		
PR65-00	02/05/2013	<1	<0.1	<0.1	<0.05		
PR65-00	03/09/2013	<1	<0.1	<0.1	<0.05		
PR66-01	09/05/2013	<1	<0.1	<0.1	<0.05		
PR66-01	12/09/2013	<1	<0.1	<0.1	<0.05		
PR68-00	09/05/2013	<1	<0.1	<0.1	<0.05		
PR68-00	17/09/2013	<1	<0.1	<0.1	<0.05		

Codice_RER	DATA	µg/L 1,2-Dicloroetilene	1,2-Dicloroetilene-cis	µg/L 1,1,1-Tricloroetano	µg/L Tribromometano	µg/L Dibromoclorometano
PR38-01	13/05/2013	<1		<0.1	<0.1	<0.05
PR38-01	12/09/2013	<1		<0.1	<0.1	<0.05
PR39-00	07/05/2013	<1		<0.1	<0.1	<0.05
PR39-00	10/09/2013	<1		<0.1	<0.1	<0.05
PR40-03	23/05/2013	<1		<0.1	<0.1	<0.05
PR40-03	17/09/2013	<1		<0.1	<0.1	<0.05
PR44-01	07/05/2013	<1		<0.1	<0.1	<0.05
PR44-01	10/09/2013	<1		<0.1	<0.1	<0.05
PR45-01	07/05/2013	<1		<0.1	<0.1	<0.05
PR45-01	10/09/2013	<1		<0.1	<0.1	<0.05
PR47-01	09/05/2013	<1		<0.1	<0.1	<0.05
PR47-01	02/09/2013	<1		<0.1	<0.1	<0.05
PR54-01	07/05/2013	<1		0,2	<0.1	<0.05
PR54-01	10/09/2013	<1		<0.1	<0.1	<0.05
PR57-02	21/05/2013					
PR57-02	02/09/2013	<1		<0.1	<0.1	<0.05
PR61-02	21/05/2013					
PR61-02	02/09/2013					
PR61-04	21/05/2013					
PR61-04	02/09/2013	<1		<0.1	<0.1	<0.05
PR61-05	21/05/2013	<1		<0.1	<0.1	<0.05
PR61-05	02/09/2013	<1		<0.1	<0.1	<0.05
PR65-00	02/05/2013	<1		<0.1	<0.1	<0.05
PR65-00	03/09/2013	<1		<0.1	<0.1	<0.05
PR66-01	09/05/2013	<1		<0.1	<0.1	<0.05
PR66-01	12/09/2013	<1		<0.1	<0.1	<0.05
PR68-00	09/05/2013	<1		<0.1	<0.1	<0.05
PR68-00	17/09/2013	<1		<0.1	<0.1	<0.05

Codice_RER	DATA	µg/L Bromodichlorometano	µg/L Tetraclorometano	µg/L Benzene	µg/L Etilbenzene	µg/L Toluene	µg/L Xilene (O)	µg/L Xileni (M+P)	µg/L Benzo(a)pirene
PR38-01	13/05/2013	<0.05	<0.1						
PR38-01	12/09/2013	<0.05	<0.1						
PR39-00	07/05/2013	<0.05	<0.1	<0.1	<1	<1	<1	<1	<0.005
PR39-00	10/09/2013	<0.05	<0.1	<0.1	<1	<1	<1	<1	<0.005
PR40-03	23/05/2013	<0.05	<0.1						
PR40-03	17/09/2013	<0.05	<0.1						
PR44-01	07/05/2013	<0.05	<0.1						
PR44-01	10/09/2013	<0.05	<0.1						
PR45-01	07/05/2013	<0.05	<0.1						
PR45-01	10/09/2013	<0.05	<0.1						
PR47-01	09/05/2013	<0.05	<0.1						
PR47-01	02/09/2013	<0.05	<0.1						
PR54-01	07/05/2013	<0.05	<0.1						
PR54-01	10/09/2013	<0.05	<0.1						
PR57-02	21/05/2013								
PR57-02	02/09/2013	<0.05	<0.1						
PR61-02	21/05/2013								
PR61-02	02/09/2013								
PR61-04	21/05/2013								
PR61-04	02/09/2013	<0.05	<0.1						
PR61-05	21/05/2013	<0.05	<0.1						
PR61-05	02/09/2013	<0.05	<0.1						
PR65-00	02/05/2013	<0.05	<0.1						
PR65-00	03/09/2013	<0.05	<0.1						
PR66-01	09/05/2013	<0.05	<0.1						
PR66-01	12/09/2013	<0.05	<0.1						
PR68-00	09/05/2013	<0.05	<0.1						
PR68-00	17/09/2013	<0.05	<0.1						

		µg/L	µg/L	µg/L	µg/L	µg/L
Codice_RER	DATA	Dibenzo(a,h)antracene	Benzo(b)fluorantene	Benzo(k)fluorantene	Benzo(g,h,i)perilene	Indeno (1,2,3-c,d) pirene
PR38-01	13/05/2013					
PR38-01	12/09/2013					
PR39-00	07/05/2013	<0.005	<0.01	<0.01	<0.005	<0.01
PR39-00	10/09/2013	<0.005	<0.01	<0.01	<0.005	<0.01
PR40-03	23/05/2013					
PR40-03	17/09/2013					
PR44-01	07/05/2013					
PR44-01	10/09/2013					
PR45-01	07/05/2013					
PR45-01	10/09/2013					
PR47-01	09/05/2013					
PR47-01	02/09/2013					
PR54-01	07/05/2013					
PR54-01	10/09/2013					
PR57-02	21/05/2013					
PR57-02	02/09/2013					
PR61-02	21/05/2013					
PR61-02	02/09/2013					
PR61-04	21/05/2013					
PR61-04	02/09/2013					
PR61-05	21/05/2013					
PR61-05	02/09/2013					
PR65-00	02/05/2013					
PR65-00	03/09/2013					
PR66-01	09/05/2013					
PR66-01	12/09/2013					
PR68-00	09/05/2013					
PR68-00	17/09/2013					

		µg/L	µg/L	µg/L	µg/L	µg/L
Codice_RER	DATA	Idrocarburi policiclici aromatici (somma di 221, 259, 222,224)	ETBE	MTBE	Monoclorobenzene	1,4-Diclorobenzene
PR38-01	13/05/2013		<0.5	<0.5		
PR38-01	12/09/2013		<0.5	<0.5		
PR39-00	07/05/2013	0,00	<0.5	<0.5	<1	<0.1
PR39-00	10/09/2013	0,00	<0.5	<0.5	<1	<0.1
PR40-03	23/05/2013		<0.5	<0.5		
PR40-03	17/09/2013		<0.5	<0.5		
PR44-01	07/05/2013		<0.5	<0.5		
PR44-01	10/09/2013		<0.5	<0.5		
PR45-01	07/05/2013		<0.5	<0.5		
PR45-01	10/09/2013		<0.5	<0.5		
PR47-01	09/05/2013		<0.5	<0.5		
PR47-01	02/09/2013		<0.5	<0.5		
PR54-01	07/05/2013		<0.5	<0.5		
PR54-01	10/09/2013		<0.5	<0.5		
PR57-02	21/05/2013					
PR57-02	02/09/2013		<0.5	<0.5		
PR61-02	21/05/2013					
PR61-02	02/09/2013					
PR61-04	21/05/2013					
PR61-04	02/09/2013		<0.5	<0.5		
PR61-05	21/05/2013		<0.5	<0.5		
PR61-05	02/09/2013		<0.5	<0.5		
PR65-00	02/05/2013		<0.5	<0.5		
PR65-00	03/09/2013		<0.5	<0.5		
PR66-01	09/05/2013		<0.5	<0.5		
PR66-01	12/09/2013		<0.5	<0.5		
PR68-00	09/05/2013		<0.5	<0.5		
PR68-00	17/09/2013		<0.5	<0.5		

Codice_RER	DATA	µg/L 1,2,3-Triclorobenzene	µg/L 1,2,4-Triclorobenzene	µg/L 1,3,5-Triclorobenzene	UFC/100 mL Escherichia coli
PR38-01	13/05/2013				
PR38-01	12/09/2013				
PR39-00	07/05/2013	<0.1	<0.1	<0.1	<1
PR39-00	10/09/2013	<0.1	<0.1	<0.1	<1
PR40-03	23/05/2013				
PR40-03	17/09/2013				
PR44-01	07/05/2013				
PR44-01	10/09/2013				
PR45-01	07/05/2013				<1
PR45-01	10/09/2013				<1
PR47-01	09/05/2013				
PR47-01	02/09/2013				
PR54-01	07/05/2013				<1
PR54-01	10/09/2013				<1
PR57-02	21/05/2013				
PR57-02	02/09/2013				
PR61-02	21/05/2013				
PR61-02	02/09/2013				
PR61-04	21/05/2013				
PR61-04	02/09/2013				
PR61-05	21/05/2013				
PR61-05	02/09/2013				
PR65-00	02/05/2013				
PR65-00	03/09/2013				
PR66-01	09/05/2013				
PR66-01	12/09/2013				
PR68-00	09/05/2013				
PR68-00	17/09/2013				

		µg/L	µg/L	µg/L
Codice_RER	DATA	Idrocarburi totali (espressi come n-esano)	Sommatoria fitofarmaci	Sommatoria (Aldrin, Dieldrin, Endrin, Isodrin)
PR38-01	13/05/2013			
PR38-01	12/09/2013			
PR39-00	07/05/2013		0,00	
PR39-00	10/09/2013		0,00	
PR40-03	23/05/2013		0,00	
PR40-03	17/09/2013		0,00	
PR44-01	07/05/2013			
PR44-01	10/09/2013			
PR45-01	07/05/2013		0,00	
PR45-01	10/09/2013		0,00	
PR47-01	09/05/2013		0,00	
PR47-01	02/09/2013		0,00	
PR54-01	07/05/2013		0,00	
PR54-01	10/09/2013			
PR57-02	21/05/2013			
PR57-02	02/09/2013		0,00	
PR61-02	21/05/2013			
PR61-02	02/09/2013			
PR61-04	21/05/2013			
PR61-04	02/09/2013		0,00	
PR61-05	21/05/2013		0,00	
PR61-05	02/09/2013		0,00	
PR65-00	02/05/2013			
PR65-00	03/09/2013			
PR66-01	09/05/2013		0,00	
PR66-01	12/09/2013		0,00	
PR68-00	09/05/2013			
PR68-00	17/09/2013			

[illegible]

Codice_RER	DATA	µg/L Atrazina Desisopropil (met)	µg/L Azinfos-metile	µg/L Azoxistrobin	µg/L Bensulfuronmetile	µg/L Bentazone	µg/L Bifenazate	µg/L Boscalid
PR38-01	13/05/2013							
PR38-01	12/09/2013							
PR39-00	07/05/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PR39-00	10/09/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PR40-03	23/05/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PR40-03	17/09/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PR44-01	07/05/2013							
PR44-01	10/09/2013							
PR45-01	07/05/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PR45-01	10/09/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PR47-01	09/05/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PR47-01	02/09/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PR54-01	07/05/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PR54-01	10/09/2013							
PR57-02	21/05/2013							
PR57-02	02/09/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PR61-02	21/05/2013							
PR61-02	02/09/2013							
PR61-04	21/05/2013							
PR61-04	02/09/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PR61-05	21/05/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PR61-05	02/09/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PR65-00	02/05/2013							
PR65-00	03/09/2013							
PR66-01	09/05/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PR66-01	12/09/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PR68-00	09/05/2013							
PR68-00	17/09/2013							

		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Codice_RER	DATA	Bupirimate	Bupropione	Carbocisteine	Cimetidine	Ciprofloxacin	Clonidine (DPX E-2Y45)	Clonidine
PR38-01	13/05/2013							
PR38-01	12/09/2013							
PR39-00	07/05/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR39-00	10/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR40-03	23/05/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR40-03	17/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR44-01	07/05/2013							
PR44-01	10/09/2013							
PR45-01	07/05/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR45-01	10/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR47-01	09/05/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR47-01	02/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR54-01	07/05/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR54-01	10/09/2013							
PR57-02	21/05/2013							
PR57-02	02/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR61-02	21/05/2013							
PR61-02	02/09/2013							
PR61-04	21/05/2013							
PR61-04	02/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR61-05	21/05/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR61-05	02/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR65-00	02/05/2013							
PR65-00	03/09/2013							
PR66-01	09/05/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR66-01	12/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR68-00	09/05/2013							
PR68-00	17/09/2013							

Codice_RER	DATA	µg/L Cloridazon-iso	µg/L Clorpirifos-etile	µg/L Clorpirifos-metile	µg/L Clortoluron	µg/L Diazinone	µg/L Difenoconazolo	µg/L Dicloran	µg/L Diclorvos
PR38-01	13/05/2013								
PR38-01	12/09/2013								
PR39-00	07/05/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR39-00	10/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR40-03	23/05/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR40-03	17/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR44-01	07/05/2013								
PR44-01	10/09/2013								
PR45-01	07/05/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR45-01	10/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR47-01	09/05/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR47-01	02/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR54-01	07/05/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR54-01	10/09/2013								
PR57-02	21/05/2013								
PR57-02	02/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR61-02	21/05/2013								
PR61-02	02/09/2013								
PR61-04	21/05/2013								
PR61-04	02/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR61-05	21/05/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR61-05	02/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR65-00	02/05/2013								
PR65-00	03/09/2013								
PR66-01	09/05/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR66-01	12/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR68-00	09/05/2013								
PR68-00	17/09/2013								

Codice_RER	DATA	µg/L Dimetenamide-P	µg/L Dimetoato	µg/L Diuron	µg/L Epoossiconazolo	µg/L Etofumesate	µg/L Fenamidone	µg/L Fenbuconazolo	µg/L Fenexamide
PR38-01	13/05/2013								
PR38-01	12/09/2013								
PR39-00	07/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR39-00	10/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR40-03	23/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR40-03	17/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR44-01	07/05/2013								
PR44-01	10/09/2013								
PR45-01	07/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR45-01	10/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR47-01	09/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR47-01	02/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR54-01	07/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR54-01	10/09/2013								
PR57-02	21/05/2013								
PR57-02	02/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR61-02	21/05/2013								
PR61-02	02/09/2013								
PR61-04	21/05/2013								
PR61-04	02/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR61-05	21/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR61-05	02/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR65-00	02/05/2013								
PR65-00	03/09/2013								
PR66-01	09/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR66-01	12/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR68-00	09/05/2013								
PR68-00	17/09/2013								

[illegible]

[illegible]

[illegible]

[illegible]

Codice_RER	DATA	µg/L Simazina	µg/L Spirotetrammato	µg/L Spiroxamina	µg/L Tebufenozide	µg/L Terbutilazina	µg/L Terbutilazina Desetil	µg/L Tetraconazolo
PR38-01	13/05/2013							
PR38-01	12/09/2013							
PR39-00	07/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR39-00	10/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR40-03	23/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR40-03	17/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR44-01	07/05/2013							
PR44-01	10/09/2013							
PR45-01	07/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR45-01	10/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR47-01	09/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR47-01	02/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR54-01	07/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR54-01	10/09/2013							
PR57-02	21/05/2013							
PR57-02	02/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR61-02	21/05/2013							
PR61-02	02/09/2013							
PR61-04	21/05/2013							
PR61-04	02/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR61-05	21/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR61-05	02/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR65-00	02/05/2013							
PR65-00	03/09/2013							
PR66-01	09/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR66-01	12/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR68-00	09/05/2013							
PR68-00	17/09/2013							

Codice_RER	DATA	µg/L Tiacloprid	µg/L Tiametoxam	µg/L Tiobencarb	µg/L Trifloxistrobin	µg/L Triticonazolo	µg/L Zoxamide
PR38-01	13/05/2013						
PR38-01	12/09/2013						
PR39-00	07/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR39-00	10/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR40-03	23/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR40-03	17/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR44-01	07/05/2013						
PR44-01	10/09/2013						
PR45-01	07/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR45-01	10/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR47-01	09/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR47-01	02/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR54-01	07/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR54-01	10/09/2013						
PR57-02	21/05/2013						
PR57-02	02/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR61-02	21/05/2013						
PR61-02	02/09/2013						
PR61-04	21/05/2013						
PR61-04	02/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR61-05	21/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR61-05	02/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR65-00	02/05/2013						
PR65-00	03/09/2013						
PR66-01	09/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR66-01	12/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR68-00	09/05/2013						
PR68-00	17/09/2013						

		°C	unità di pH	µS/cm	mg/L	mg/L (CaCO3)	mg/L (HCO3)
Codice_RER	DATA	Temperatura	pH	Conducibilità elettrica specifica (20°C)	Ossigeno disciolto	Durezza	Bicarbonati
PR69-00	21/05/2013	16,3	7,7	909	7,4	481	457
PR69-00	02/09/2013	16,4	7,8	895	8	480	440
PR71-00	21/05/2013	16,5	8	685		307	505
PR71-00	04/09/2013	15,1	7,9	694		307	518
PR72-00	02/05/2013	16,3	7,7	862		496	470
PR72-00	03/09/2013	23,1	7,7	873		494	481
PR73-00	09/05/2013	13,2	7,7	819	7,5	442	456
PR73-00	04/09/2013	18,6	7,4	839	5,4	443	456
PR76-00	13/05/2013	14,3	7,8	665		350	327
PR76-00	23/09/2013	14,8	7,8	686		354	336
PR77-00	13/05/2013	13,3	7,8	749	6	399	414
PR77-00	23/09/2013	13,8	7,8	770	8,5	405	429
PR90-03	21/05/2013	14,8	7,7	759		408	513
PR90-03	02/09/2013	15,5	8	668	<1	347	438
PR91-00	07/05/2013	14,9	7,9	710	4	344	397
PR91-00	10/09/2013	16,9	7,7	688	4,6	343	391
PR93-02	09/05/2013	13,4	7,9	668	6,8	335	342
PR94-00	23/05/2013	17,7	7,6	971	2,6	493	527
PR94-00	12/09/2013	19,6	7,3	1184	4,7	648	708
PRA0-00	23/05/2013	12,8	7,6	956	6,2	461	493
PRA0-00	12/09/2013	17,2	7,5	1109	5,7	544	460
PRA1-00	09/05/2013	16,1	7,6	1065	7,4	560	396
PRA1-00	04/09/2013	21,3	7,2	950	4,8	505	403
PRA2-00	09/05/2013	17,1	7,8	580	4,2	297	338
PRA2-00	17/09/2013	19,6	7,8	640	5,2	328	369
PRA4-00	23/04/2013	16	7,8	995		600	660
PRA4-00	03/09/2013	17,3	7,8	951		530	630
PRA8-00	02/05/2013	14,5	7,9	549		302	402

		mg/L (O2)	µg/L	mg/L (Cl)	µg/L (F)	mg/L (SO4)	mg/L (PO4)	mg/L (NO3)	µg/L (NO2)	µg/L (NH4)	µg/L
Codice_RER	DATA	Ossidabilità	Boro	Cloruri	Fluoruri	Solfati	Ortofosfato	Nitrati	Nitriti	Ione Ammonio	Cianuri liberi
PR69-00	21/05/2013	0,8	71	51,5	95	55	<0.01	62,9	<30	<20	
PR69-00	02/09/2013	1	62	50,9	102	57,2	<0.01	55,7	<30	<20	
PR71-00	21/05/2013	2,6	279	6,1	202	<1	<0.01	<1	<30	3650	
PR71-00	04/09/2013	2,6	258	6,4	229	<1	0,02	1,2	<30	3900	
PR72-00	02/05/2013	1	109	41,8	56	60,3	<0.01	40,1	<30	<20	
PR72-00	03/09/2013	<0.5	111	39,6	74	59,9	<0.01	36,7	<30	<20	
PR73-00	09/05/2013	<0.5	65	35,8	159	38,4	0,05	41,5	<30	<20	
PR73-00	04/09/2013	0,6	69	34,5	177	44,1	0,05	47,5	<30	<20	
PR76-00	13/05/2013	0,7	78	31,2	73	42,5	<0.01	40	<30	<20	
PR76-00	23/09/2013	<0.5	89	31,6	72	42,3	<0.01	40,6	<30	<20	
PR77-00	13/05/2013	0,6	88	26,7	108	48,5	<0.01	29,3	<30	<20	<10
PR77-00	23/09/2013	0,7	109	26,1	97	49,9	<0.01	31,7	<30	<20	<10
PR90-03	21/05/2013	1,1	74	32,6	124	15,8	<0.01	<1	<30	576	
PR90-03	02/09/2013	1	83	27,9	137	15,3	0,02	1,3	<30	540	
PR91-00	07/05/2013	<0.5	153	55,9	108	17,4	0,03	<1	<30	530	
PR91-00	10/09/2013	<0.5	150	53,2	105	19,8	0,02	1	<30	250	
PR93-02	09/05/2013	0,6	106	23,3	83	55,4	<0.01	29,6	<30	<20	
PR94-00	23/05/2013	0,8	126	55,5	128	46,1	<0.01	45,9	<30	<20	
PR94-00	12/09/2013	<0.5	148	52,9	109	61	<0.01	18,4	<30	<20	
PRA0-00	23/05/2013	0,8	95	44,4	144	49,2	<0.01	77,5	<30	<20	
PRA0-00	12/09/2013	0,9	111	87	152	81,3	<0.01	106,3	<30	<20	
PRA1-00	09/05/2013	<0.5	59	53,5	56	48	<0.01	190,8	<30	<20	
PRA1-00	04/09/2013	<0.5	56	52	69	49,4	<0.01	121,5	<30	<20	
PRA2-00	09/05/2013	<0.5	75	8,5	166	15,7	<0.01	36,3	<30	<20	
PRA2-00	17/09/2013	0,5	124	32,3	158	36,5	<0.01	7,7	<30	<20	
PRA4-00	23/04/2013	3,8	127	21,1	152	52,7	<0.01	<1	<30	120	
PRA4-00	03/09/2013	1,9	122	20	119	54,4	0,01	1,8	<30	130	
PRA8-00	02/05/2013	1,2	123	10,2	190	4,1	0,06	<1	<30	2000	

		mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Codice_RER	DATA	Calcio	Magnesio	Sodio	Potassio	Ferro	Manganese	Antimonio	Arsenico	Bario	Cadmio	Cromo	Cromo (VI)	Mercurio
PR69-00	21/05/2013	165,1	16,1	25	1,5	<20	6		<1	122	<0.5	<2	<2	
PR69-00	02/09/2013	165,9	16,8	25	1,7	<20	<5		<1	108	<0.5	<2	<2	
PR71-00	21/05/2013	63,9	34,2	49	1,3	<20	143		<1	671	<0.5	<2	<2	
PR71-00	04/09/2013	64,2	33,9	48,9	1,4	1145	98		1	539	<0.5	<2	<2	
PR72-00	02/05/2013	123,8	48,5	17,4	2,1	<20	<5		<1	293	<0.5	<2	<2	
PR72-00	03/09/2013	120,3	45	18,5	2,1	<20	20		<1	257	<0.5	<2	<2	
PR73-00	09/05/2013	148,7	16,8	24,2	3,3	<20	<5		<1	156	<0.5	<2	<2	
PR73-00	04/09/2013	145,9	17,1	25,2	3,3	<20	<5		<1	150	<0.5	<2	<2	
PR76-00	13/05/2013	119,7	14,4	17	2,2	<20	<5		<1	196	<0.5	<2	<2	
PR76-00	23/09/2013	116,8	14,8	16,5	2,3	<20	<5		<1	194	<0.5	<2	<2	
PR77-00	13/05/2013	121	22,1	23,3	2,9	<20	<5	<1	<1	135	<0.5	2	<2	<0.1
PR77-00	23/09/2013	122,7	23,1	23,7	3,1	<20	<5	<1	<1	138	<0.5	<2	<2	<0.1
PR90-03	21/05/2013	115,6	28,5	27,2	2,3	1205	173		3	273	<0.5	<2	<2	
PR90-03	02/09/2013	81,8	36,2	27,6	2,7	892	100		1	199	<0.5	<2	<2	
PR91-00	07/05/2013	92,4	30,5	32	2,5	58	141		<1	340	<0.5	<2	<2	
PR91-00	10/09/2013	89,2	28,3	29,5	2,6	37	139		<1	273	<0.5	<2	<2	
PR93-02	09/05/2013	104,4	18,1	25,1	8,1	<20	<5		<1	125	<0.5	<2	<2	
PR94-00	23/05/2013	140	33,2	38	4,2	<20	<5		<1	232	<0.5	<2	<2	
PR94-00	12/09/2013	183,4	45,6	33,3	4,6	<20	17		<1	269	<0.5	<2	<2	
PRA0-00	23/05/2013	137,7	28,5	40,7	7,7	<20	12		<1	53	<0.5	<2	<2	
PRA0-00	12/09/2013	160,6	34,1	48,1	8,7	<20	<5		<1	60	<0.5	<2	<2	
PRA1-00	09/05/2013	201,5	14,8	23,4	2,7	<20	<5		<1	268	<0.5	<2	<2	
PRA1-00	04/09/2013	177,3	12,9	19,9	2	<20	<5		<1	214	<0.5	<2	<2	
PRA2-00	09/05/2013	93	16,5	22,8	2,9	<20	<5		<1	86	<0.5	<2	<2	
PRA2-00	17/09/2013	98,5	18	24,8	4	<20	<5		<1	79	<0.5	<2	<2	
PRA4-00	23/04/2013	145,9	58,4	16,4	4,1	98	528		<1	220	<0.5	<2	<2	
PRA4-00	03/09/2013	128,2	53,6	16,1	4,2	57	520		3	205	<0.5	<2	<2	
PRA8-00	02/05/2013	76	28,8	16,7	1,3	996	164		1,3	487	<0.5	<2	<2	

		µg/l	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Codice_RER	DATA	Nichel	Piombo	Rame	Selenio	Vanadio	Zinco	Sommatoria composti alifatici alogenati totali
PR69-00	21/05/2013	<2	<2	31			634	0
PR69-00	02/09/2013	<2	<2	<5			12	0
PR71-00	21/05/2013	9	<2	<5			1500	
PR71-00	04/09/2013	<2	<2	<5			12	
PR72-00	02/05/2013	<2	<2	<5			48	
PR72-00	03/09/2013	<2	<2	<5			130	
PR73-00	09/05/2013	<2	<2	<5			21	0
PR73-00	04/09/2013	<2	<2	<5			18	0
PR76-00	13/05/2013	<2	<2	<5			19	0
PR76-00	23/09/2013	<2	<2	<5			33	0
PR77-00	13/05/2013	<2	<2	<5	<2	<5	<10	0
PR77-00	23/09/2013	<2	<2	<5	<2	<5	<10	0
PR90-03	21/05/2013	<2	<2	<5			141	
PR90-03	02/09/2013	<2	<2	<5			351	0
PR91-00	07/05/2013	<2	<2	<5			506	
PR91-00	10/09/2013	<2	<2	<5			462	0
PR93-02	09/05/2013	<2	<2	<5			<10	0
PR94-00	23/05/2013	3	<2	11			68	0
PR94-00	12/09/2013	<2	<2	13			44	0
PRA0-00	23/05/2013	2	<2	<5			<10	0
PRA0-00	12/09/2013	4	<2	<5			<10	0
PRA1-00	09/05/2013	3	<2	<5			140	0
PRA1-00	04/09/2013	<2	<2	<5			38	0
PRA2-00	09/05/2013	<2	<2	<5			388	0
PRA2-00	17/09/2013	<2	<2	<5			<10	0
PRA4-00	23/04/2013	<2	<2	<5			72	
PRA4-00	03/09/2013	<2	<2	<5			11	0
PRA8-00	02/05/2013	<2	<2	<5			<10	

		µg/L	µg/L	µg/L
Codice_RER	DATA	Sommatoria organoalogenati (6 clorurati cancerogeni D.Lgs. 30/09)	Triclorometano	Cloruro di vinile (CVM)
PR69-00	21/05/2013	0	<0.05	<0.1
PR69-00	02/09/2013	0	<0.05	<0.1
PR71-00	21/05/2013			
PR71-00	04/09/2013			
PR72-00	02/05/2013			
PR72-00	03/09/2013			
PR73-00	09/05/2013	0	<0.05	<0.1
PR73-00	04/09/2013	0	<0.05	<0.1
PR76-00	13/05/2013	0	<0.05	<0.1
PR76-00	23/09/2013	0	<0.05	<0.1
PR77-00	13/05/2013	0	<0.05	<0.1
PR77-00	23/09/2013	0	<0.05	<0.1
PR90-03	21/05/2013			
PR90-03	02/09/2013	0	<0.05	<0.1
PR91-00	07/05/2013			
PR91-00	10/09/2013	0	<0.05	<0.1
PR93-02	09/05/2013	0	<0.05	<0.1
PR94-00	23/05/2013	0	<0.05	<0.1
PR94-00	12/09/2013	0	<0.05	<0.1
PRA0-00	23/05/2013	0	<0.05	<0.1
PRA0-00	12/09/2013	0	<0.05	<0.1
PRA1-00	09/05/2013	0	<0.05	<0.1
PRA1-00	04/09/2013	0	<0.05	<0.1
PRA2-00	09/05/2013	0	<0.05	<0.1
PRA2-00	17/09/2013	0	<0.05	<0.1
PRA4-00	23/04/2013			
PRA4-00	03/09/2013	0	<0.05	<0.1
PRA8-00	02/05/2013			

Codice_RER	DATA	µg/L 1,2-Dicloroetano	µg/L Tricloroetilene	µg/L Tetracloroetilene	µg/L Esaclorobutadiene	µg/L 1,1-Dicloroetilene	µg/L 1,1-Dicloroetano
PR69-00	21/05/2013	<1	<0.1	<0.1	<0.05		
PR69-00	02/09/2013	<1	<0.1	<0.1	<0.05		
PR71-00	21/05/2013						
PR71-00	04/09/2013						
PR72-00	02/05/2013						
PR72-00	03/09/2013						
PR73-00	09/05/2013	<1	<0.1	<0.1	<0.05		
PR73-00	04/09/2013	<1	<0.1	<0.1	<0.05		
PR76-00	13/05/2013	<1	<0.1	<0.1	<0.05		
PR76-00	23/09/2013	<1	<0.1	<0.1	<0.05		
PR77-00	13/05/2013	<1	<0.1	<0.1	<0.05		
PR77-00	23/09/2013	<1	<0.1	<0.1	<0.05		
PR90-03	21/05/2013						
PR90-03	02/09/2013	<1	<0.1	<0.1	<0.05		
PR91-00	07/05/2013						
PR91-00	10/09/2013	<1	<0.1	<0.1	<0.05		
PR93-02	09/05/2013	<1	<0.1	<0.1	<0.05		
PR94-00	23/05/2013	<1	<0.1	<0.1	<0.05		
PR94-00	12/09/2013	<1	<0.1	<0.1	<0.05		
PRA0-00	23/05/2013	<1	<0.1	<0.1	<0.05		
PRA0-00	12/09/2013	<1	<0.1	<0.1	<0.05		
PRA1-00	09/05/2013	<1	<0.1	<0.1	<0.05		
PRA1-00	04/09/2013	<1	<0.1	<0.1	<0.05		
PRA2-00	09/05/2013	<1	<0.1	<0.1	<0.05		
PRA2-00	17/09/2013	<1	<0.1	<0.1	<0.05		
PRA4-00	23/04/2013						
PRA4-00	03/09/2013	<1	<0.1	<0.1	<0.05		
PRA8-00	02/05/2013						

		µg/L		µg/L	µg/L	µg/L
Codice_RER	DATA	1,2-Dicloroetilene	1,2-Dicloroetilene-cis	1,1,1-Tricloroetano	Tribromometano	Dibromoclorometano
PR69-00	21/05/2013	<1		<0.1	<0.1	<0.05
PR69-00	02/09/2013	<1		<0.1	<0.1	<0.05
PR71-00	21/05/2013					
PR71-00	04/09/2013					
PR72-00	02/05/2013					
PR72-00	03/09/2013					
PR73-00	09/05/2013	<1		<0.1	<0.1	<0.05
PR73-00	04/09/2013	<1		<0.1	<0.1	<0.05
PR76-00	13/05/2013	<1		<0.1	<0.1	<0.05
PR76-00	23/09/2013	<1		<0.1	<0.1	<0.05
PR77-00	13/05/2013	<1		<0.1	<0.1	<0.05
PR77-00	23/09/2013	<1		<0.1	<0.1	<0.05
PR90-03	21/05/2013					
PR90-03	02/09/2013	<1		<0.1	<0.1	<0.05
PR91-00	07/05/2013					
PR91-00	10/09/2013	<1		<0.1	<0.1	<0.05
PR93-02	09/05/2013	<1		<0.1	<0.1	<0.05
PR94-00	23/05/2013	<1		<0.1	<0.1	<0.05
PR94-00	12/09/2013	<1		<0.1	<0.1	<0.05
PRA0-00	23/05/2013	<1		<0.1	<0.1	<0.05
PRA0-00	12/09/2013	<1		<0.1	<0.1	<0.05
PRA1-00	09/05/2013	<1		<0.1	<0.1	<0.05
PRA1-00	04/09/2013	<1		<0.1	<0.1	<0.05
PRA2-00	09/05/2013	<1		<0.1	<0.1	<0.05
PRA2-00	17/09/2013	<1		<0.1	<0.1	<0.05
PRA4-00	23/04/2013					
PRA4-00	03/09/2013	<1		<0.1	<0.1	<0.05
PRA8-00	02/05/2013					

		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Codice_RER	DATA	Bromodichlorometano	Tetrachlorometano	Benzene	Etilbenzene	Toluene	Xilene (O)	Xileni (M+P)	Benzo(a)pirene
PR69-00	21/05/2013	<0.05	<0.1						
PR69-00	02/09/2013	<0.05	<0.1						
PR71-00	21/05/2013								
PR71-00	04/09/2013								
PR72-00	02/05/2013								
PR72-00	03/09/2013								
PR73-00	09/05/2013	<0.05	<0.1						
PR73-00	04/09/2013	<0.05	<0.1						
PR76-00	13/05/2013	<0.05	<0.1						
PR76-00	23/09/2013	<0.05	<0.1						
PR77-00	13/05/2013	<0.05	<0.1	<0.1	<1	<1	<1	<1	<0.005
PR77-00	23/09/2013	<0.05	<0.1	<0.1	<1	<1	<1	<1	<0.005
PR90-03	21/05/2013								
PR90-03	02/09/2013	<0.05	<0.1						
PR91-00	07/05/2013								
PR91-00	10/09/2013	<0.05	<0.1						
PR93-02	09/05/2013	<0.05	<0.1						
PR94-00	23/05/2013	<0.05	<0.1						
PR94-00	12/09/2013	<0.05	<0.1						
PRA0-00	23/05/2013	<0.05	<0.1						
PRA0-00	12/09/2013	<0.05	<0.1						
PRA1-00	09/05/2013	<0.05	<0.1						
PRA1-00	04/09/2013	<0.05	<0.1						
PRA2-00	09/05/2013	<0.05	<0.1						
PRA2-00	17/09/2013	<0.05	<0.1						
PRA4-00	23/04/2013								
PRA4-00	03/09/2013	<0.05	<0.1						
PRA8-00	02/05/2013								

		µg/L	µg/L	µg/L	µg/L	µg/L
Codice_RER	DATA	Dibenzo(a,h)antracene	Benzo(b)fluorantene	Benzo(k)fluorantene	Benzo(g,h,i)perilene	Indeno (1,2,3-c,d) pirene
PR69-00	21/05/2013					
PR69-00	02/09/2013					
PR71-00	21/05/2013					
PR71-00	04/09/2013					
PR72-00	02/05/2013					
PR72-00	03/09/2013					
PR73-00	09/05/2013					
PR73-00	04/09/2013					
PR76-00	13/05/2013					
PR76-00	23/09/2013					
PR77-00	13/05/2013	<0.005	<0.01	<0.01	<0.005	<0.01
PR77-00	23/09/2013	<0.005	<0.01	<0.01	<0.005	<0.01
PR90-03	21/05/2013					
PR90-03	02/09/2013					
PR91-00	07/05/2013					
PR91-00	10/09/2013					
PR93-02	09/05/2013					
PR94-00	23/05/2013					
PR94-00	12/09/2013					
PRA0-00	23/05/2013					
PRA0-00	12/09/2013					
PRA1-00	09/05/2013					
PRA1-00	04/09/2013					
PRA2-00	09/05/2013					
PRA2-00	17/09/2013					
PRA4-00	23/04/2013					
PRA4-00	03/09/2013					
PRA8-00	02/05/2013					

		µg/L	µg/L	µg/L	µg/L	µg/L
Codice_RER	DATA	Idrocarburi policiclici aromatici (somma di 221, 259, 222,224)	ETBE	MTBE	Monoclorobenzene	1,4-Diclorobenzene
PR69-00	21/05/2013		<0.5	<0.5		
PR69-00	02/09/2013		<0.5	<0.5		
PR71-00	21/05/2013					
PR71-00	04/09/2013					
PR72-00	02/05/2013					
PR72-00	03/09/2013					
PR73-00	09/05/2013		<0.5	<0.5		
PR73-00	04/09/2013		<0.5	<0.5		
PR76-00	13/05/2013		<0.5	<0.5		
PR76-00	23/09/2013		<0.5	<0.5		
PR77-00	13/05/2013	0,00	<0.5	<0.5	<1	<0.1
PR77-00	23/09/2013	0,00	<0.5	<0.5	<1	<0.1
PR90-03	21/05/2013					
PR90-03	02/09/2013		<0.5	<0.5		
PR91-00	07/05/2013					
PR91-00	10/09/2013		<0.5	<0.5		
PR93-02	09/05/2013		<0.5	<0.5		
PR94-00	23/05/2013		<0.5	<0.5		
PR94-00	12/09/2013		<0.5	<0.5		
PRA0-00	23/05/2013		<0.5	<0.5		
PRA0-00	12/09/2013		<0.5	<0.5		
PRA1-00	09/05/2013		<0.5	<0.5		
PRA1-00	04/09/2013		<0.5	<0.5		
PRA2-00	09/05/2013		<0.5	<0.5		
PRA2-00	17/09/2013		<0.5	<0.5		
PRA4-00	23/04/2013					
PRA4-00	03/09/2013		<0.5	<0.5		
PRA8-00	02/05/2013					

		µg/L	µg/L	µg/L	UFC/100 mL
Codice_RER	DATA	1,2,3-Triclorobenzene	1,2,4-Triclorobenzene	1,3,5-Triclorobenzene	Escherichia coli
PR69-00	21/05/2013				
PR69-00	02/09/2013				
PR71-00	21/05/2013				
PR71-00	04/09/2013				
PR72-00	02/05/2013				
PR72-00	03/09/2013				
PR73-00	09/05/2013				
PR73-00	04/09/2013				
PR76-00	13/05/2013				<1
PR76-00	23/09/2013				<1
PR77-00	13/05/2013	<0.1	<0.1	<0.1	<1
PR77-00	23/09/2013	<0.1	<0.1	<0.1	<1
PR90-03	21/05/2013				
PR90-03	02/09/2013				
PR91-00	07/05/2013				
PR91-00	10/09/2013				
PR93-02	09/05/2013				
PR94-00	23/05/2013				
PR94-00	12/09/2013				
PRA0-00	23/05/2013				
PRA0-00	12/09/2013				
PRA1-00	09/05/2013				
PRA1-00	04/09/2013				
PRA2-00	09/05/2013				
PRA2-00	17/09/2013				
PRA4-00	23/04/2013				
PRA4-00	03/09/2013				
PRA8-00	02/05/2013				

		µg/L	µg/L	µg/L
Codice_RER	DATA	Idrocarburi totali (espressi come n-esano)	Sommatoria fitofarmaci	Sommatoria (Aldrin, Dieldrin, Endrin, Isodrin)
PR69-00	21/05/2013		0,02	
PR69-00	02/09/2013		0,01	
PR71-00	21/05/2013			
PR71-00	04/09/2013			
PR72-00	02/05/2013			
PR72-00	03/09/2013			
PR73-00	09/05/2013			
PR73-00	04/09/2013			
PR76-00	13/05/2013			
PR76-00	23/09/2013			
PR77-00	13/05/2013		0,00	
PR77-00	23/09/2013		0,00	
PR90-03	21/05/2013			
PR90-03	02/09/2013		0,00	
PR91-00	07/05/2013			
PR91-00	10/09/2013		0,00	
PR93-02	09/05/2013		0,00	
PR94-00	23/05/2013		0,00	
PR94-00	12/09/2013		0,00	
PRA0-00	23/05/2013		0,00	
PRA0-00	12/09/2013		0,00	
PRA1-00	09/05/2013		0,00	
PRA1-00	04/09/2013		0,00	
PRA2-00	09/05/2013		0,00	
PRA2-00	17/09/2013		0,00	
PRA4-00	23/04/2013			
PRA4-00	03/09/2013		0,00	
PRA8-00	02/05/2013			

[illegible]

		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Codice_RER	DATA	Atrazina Desisopropil (met)	Azinfos-metile	Azoxistrobin	Bensulfuronmetile	Bentazone	Bifenazate	Boscalid
PR69-00	21/05/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PR69-00	02/09/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PR71-00	21/05/2013							
PR71-00	04/09/2013							
PR72-00	02/05/2013							
PR72-00	03/09/2013							
PR73-00	09/05/2013							
PR73-00	04/09/2013							
PR76-00	13/05/2013							
PR76-00	23/09/2013							
PR77-00	13/05/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PR77-00	23/09/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PR90-03	21/05/2013							
PR90-03	02/09/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PR91-00	07/05/2013							
PR91-00	10/09/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PR93-02	09/05/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PR94-00	23/05/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PR94-00	12/09/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PRA0-00	23/05/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PRA0-00	12/09/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PRA1-00	09/05/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PRA1-00	04/09/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PRA2-00	09/05/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PRA2-00	17/09/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PRA4-00	23/04/2013							
PRA4-00	03/09/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PRA8-00	02/05/2013							

		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Codice_RER	DATA	Bupirinato	Buprofezin	Carbofuran	Cimoxanil	Ciprodinil	Clorantraniliprolo (DPX E-2Y45)	Clorfenvinfos
PR69-00	21/05/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR69-00	02/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR71-00	21/05/2013							
PR71-00	04/09/2013							
PR72-00	02/05/2013							
PR72-00	03/09/2013							
PR73-00	09/05/2013							
PR73-00	04/09/2013							
PR76-00	13/05/2013							
PR76-00	23/09/2013							
PR77-00	13/05/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR77-00	23/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR90-03	21/05/2013							
PR90-03	02/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR91-00	07/05/2013							
PR91-00	10/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR93-02	09/05/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR94-00	23/05/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR94-00	12/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PRA0-00	23/05/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PRA0-00	12/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PRA1-00	09/05/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PRA1-00	04/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PRA2-00	09/05/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PRA2-00	17/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PRA4-00	23/04/2013							
PRA4-00	03/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PRA8-00	02/05/2013							

Codice_RER	DATA	µg/L Cloridazon-iso	µg/L Clorpirifos-etile	µg/L Clorpirifos-metile	µg/L Clortoluron	µg/L Diazinone	µg/L Difenoconazolo	µg/L Dicloran	µg/L Diclorvos
PR69-00	21/05/2013	0,01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR69-00	02/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR71-00	21/05/2013								
PR71-00	04/09/2013								
PR72-00	02/05/2013								
PR72-00	03/09/2013								
PR73-00	09/05/2013								
PR73-00	04/09/2013								
PR76-00	13/05/2013								
PR76-00	23/09/2013								
PR77-00	13/05/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR77-00	23/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR90-03	21/05/2013								
PR90-03	02/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR91-00	07/05/2013								
PR91-00	10/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR93-02	09/05/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR94-00	23/05/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR94-00	12/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PRA0-00	23/05/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PRA0-00	12/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PRA1-00	09/05/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PRA1-00	04/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PRA2-00	09/05/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PRA2-00	17/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PRA4-00	23/04/2013								
PRA4-00	03/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PRA8-00	02/05/2013								

		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Codice_RER	DATA	Dimetenamide-P	Dimetoato	Diuron	Epossiconazolo	Etofumesate	Fenamidone	Fenbuconazolo	Fenexamide
PR69-00	21/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR69-00	02/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR71-00	21/05/2013								
PR71-00	04/09/2013								
PR72-00	02/05/2013								
PR72-00	03/09/2013								
PR73-00	09/05/2013								
PR73-00	04/09/2013								
PR76-00	13/05/2013								
PR76-00	23/09/2013								
PR77-00	13/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR77-00	23/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR90-03	21/05/2013								
PR90-03	02/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR91-00	07/05/2013								
PR91-00	10/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR93-02	09/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR94-00	23/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR94-00	12/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PRA0-00	23/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PRA0-00	12/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PRA1-00	09/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PRA1-00	04/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PRA2-00	09/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PRA2-00	17/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PRA4-00	23/04/2013								
PRA4-00	03/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PRA8-00	02/05/2013								

[illegible]

[illegible]

[illegible]

[illegible]

Codice_RER	DATA	µg/L Simazina	µg/L Spirotetrammato	µg/L Spiroxamina	µg/L Tebufenozide	µg/L Terbutilazina	µg/L Terbutilazina Desetil	µg/L Tetraconazolo
PR69-00	21/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	0,01	<0.01
PR69-00	02/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	0,01	<0.01
PR71-00	21/05/2013							
PR71-00	04/09/2013							
PR72-00	02/05/2013							
PR72-00	03/09/2013							
PR73-00	09/05/2013							
PR73-00	04/09/2013							
PR76-00	13/05/2013							
PR76-00	23/09/2013							
PR77-00	13/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR77-00	23/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR90-03	21/05/2013							
PR90-03	02/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR91-00	07/05/2013							
PR91-00	10/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR93-02	09/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR94-00	23/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR94-00	12/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PRA0-00	23/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PRA0-00	12/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PRA1-00	09/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PRA1-00	04/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PRA2-00	09/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PRA2-00	17/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PRA4-00	23/04/2013							
PRA4-00	03/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PRA8-00	02/05/2013							

		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Codice_RER	DATA	Tiacloprid	Tiametoxam	Tiobencarb	Trifloxistrobin	Triticonazolo	Zoxamide
PR69-00	21/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR69-00	02/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR71-00	21/05/2013						
PR71-00	04/09/2013						
PR72-00	02/05/2013						
PR72-00	03/09/2013						
PR73-00	09/05/2013						
PR73-00	04/09/2013						
PR76-00	13/05/2013						
PR76-00	23/09/2013						
PR77-00	13/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR77-00	23/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR90-03	21/05/2013						
PR90-03	02/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR91-00	07/05/2013						
PR91-00	10/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR93-02	09/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR94-00	23/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR94-00	12/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PRA0-00	23/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PRA0-00	12/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PRA1-00	09/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PRA1-00	04/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PRA2-00	09/05/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PRA2-00	17/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PRA4-00	23/04/2013						
PRA4-00	03/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PRA8-00	02/05/2013						

		°C	unità di pH	µS/cm	mg/L	mg/L (CaCO3)	mg/L (HCO3)
Codice_RER	DATA	Temperatura	pH	Conducibilità elettrica specifica (20°C)	Ossigeno disciolto	Durezza	Bicarbonati
PRA8-00	04/09/2013	14,3	7,8	563		301	407
PRB0-00	21/05/2013	17,1	7,8	645	7,2	344	358
PRB0-00	02/09/2013	21,4	7,8	638	7,2	351	356
PRB5-00	23/05/2013	13,2	8,1	536	9,7	268	309
PRB5-00	12/09/2013	14,2	8,1	464	8,5	235	269
PR-F06-00	15/04/2013	11,9	8	1022	8,2	430	523
PR-F06-00	09/10/2013	16,7	8	1176	7,2	496	676
PR-F07-00	15/04/2013	11,7	8,1	338	7,2	160	172
PR-F07-00	09/10/2013	16,1	8,1	286	8,6	116	114
PR-F10-01	16/04/2013	11,8	8	711	7,1	388	395
PR-F10-01	09/10/2013	17,3	8	270	7,6	119	114
PR-F11-00	15/04/2013	15,5	7,9	668	4,7	340	349
PR-F11-00	09/10/2013	19,5	7,9	623	7,8	310	321

		mg/L (O2)	µg/L	mg/L (Cl)	µg/L (F)	mg/L (SO4)	mg/L (PO4)	mg/L (NO3)	µg/L (NO2)	µg/L (NH4)	µg/L
Codice_RER	DATA	Ossidabilità	Boro	Cloruri	Fluoruri	Solfati	Ortofosfato	Nitrati	Nitriti	Ione Ammonio	Cianuri liberi
PRA8-00	04/09/2013	5,2	126	9,2	221	3,9	0,06	1,4	<30	2150	
PRB0-00	21/05/2013	1	<50	21,9	81	26,9	<0.01	43,9	<30	<20	
PRB0-00	02/09/2013	0,6	<50	19,4	85	25,1	<0.01	39	<30	<20	
PRB5-00	23/05/2013	0,6	111	22	65	43,5	<0.01	2,8	<30	<20	
PRB5-00	12/09/2013	<0.5	100	12	73	35,7	<0.01	1,9	<30	<20	
PR-F06-00	15/04/2013	2,4	425	50,4	428	111,5	<0.01	7,8	<30	20	
PR-F06-00	09/10/2013	5,7	121	51,1	197	97,3	0,05	8,9	85	<20	
PR-F07-00	15/04/2013	2,9	87	14	92	20,1	<0.01	19,3	60	40	
PR-F07-00	09/10/2013	6,7	73	9,8	92	14,1	0,9	38,1	70	<20	
PR-F10-01	16/04/2013	1	101	6,9	160	46,7	<0.01	57,2	<30	<20	
PR-F10-01	09/10/2013	3	51	3,5	145	14,5	0,19	36	70	<20	
PR-F11-00	15/04/2013	2,4	94	48,8	246	20,9	<0.01	24,7	<30	40	
PR-F11-00	09/10/2013	2,1	117	52,5	287	18,1	0,085	20,5	<30	<20	

		mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Codice_RER	DATA	Calcio	Magnesio	Sodio	Potassio	Ferro	Manganese	Antimonio	Arsenico	Bario	Cadmio	Cromo	Cromo (VI)	Mercurio
PRA8-00	04/09/2013	73,2	28,6	16,6	1,3	1095	160		3	241	<0.5	<2	<2	
PRB0-00	21/05/2013	126,9	6,6	12,6	1,3	<20	<5		<1	121	<0.5	<2	<2	
PRB0-00	02/09/2013	128,4	5,7	11,4	1,3	<20	8		<1	117	<0.5	<2	<2	
PRB5-00	23/05/2013	75,1	19,4	22,5	2,3	<20	<5		<1	93	<0.5	<2	<2	
PRB5-00	12/09/2013	65,6	16,7	17,2	2,3	<20	11		<1	76	<0.5	<2	<2	
PR-F06-00	15/04/2013	87,1	52	52,3	62,4	<20	16		<1	50	<0.5	5	4,6	
PR-F06-00	09/10/2013	84,3	67,5	53,2	83,4	<20	12		<1	46	<0.5	<2	<2	
PR-F07-00	15/04/2013	37,3	15,9	8,6	20,8	86	18		<1	35	<0.5	3	3	
PR-F07-00	09/10/2013	38	5,7	4,7	16,5	96	5		3	25	<0.5	<2	<2	
PR-F10-01	16/04/2013	120	19,7	13,4	18,4	<20	<5		<1	73	<0.5	2	2	
PR-F10-01	09/10/2013	39,8	4,5	3,9	8,6	21	6		<1	21	<0.5	<2	<2	
PR-F11-00	15/04/2013	98	22,5	23,7	2,8	<20	7		<1	92	<0.5	<2	<2	
PR-F11-00	09/10/2013	85,4	22,5	23,5	2,4	<20	10		<1	94	<0.5	<2	<2	

		µg/l	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Codice_RER	DATA	Nichel	Piombo	Rame	Selenio	Vanadio	Zinco	Sommatoria composti alifatici alogenati totali
PRA8-00	04/09/2013	<2	<2	<5			<10	0
PRB0-00	21/05/2013	<2	<2	<5			15	
PRB0-00	02/09/2013	<2	<2	<5			13	
PRB5-00	23/05/2013	<2	<2	<5			<10	
PRB5-00	12/09/2013	<2	<2	<5			<10	
PR-F06-00	15/04/2013	<2	2	10			17	0
PR-F06-00	09/10/2013	<2	<2	6			<10	0
PR-F07-00	15/04/2013	<2	<2	15			24	0
PR-F07-00	09/10/2013	4	<2	41			<10	0
PR-F10-01	16/04/2013	<2	<2	<5			66	0
PR-F10-01	09/10/2013	<2	<2	6			27	0
PR-F11-00	15/04/2013	<2	<2	5			13	0
PR-F11-00	09/10/2013	<2	<2	5			<10	0

		µg/L	µg/L	µg/L
Codice_RER	DATA	Sommatoria organoalogenati (6 clorurati cancerogeni D.Lgs. 30/09)	Triclorometano	Cloruro di vinile (CVM)
PRA8-00	04/09/2013	0	<0.05	<0.1
PRB0-00	21/05/2013			
PRB0-00	02/09/2013			
PRB5-00	23/05/2013			
PRB5-00	12/09/2013			
PR-F06-00	15/04/2013	0	<0.05	<0.1
PR-F06-00	09/10/2013	0	<0.05	<0.1
PR-F07-00	15/04/2013	0	<0.05	<0.1
PR-F07-00	09/10/2013	0	<0.05	<0.1
PR-F10-01	16/04/2013	0	<0.05	<0.1
PR-F10-01	09/10/2013	0	<0.05	<0.1
PR-F11-00	15/04/2013	0	<0.05	<0.1
PR-F11-00	09/10/2013	0	<0.05	<0.1

		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Codice_RER	DATA	1,2-Dicloroetano	Tricloroetilene	Tetracloroetilene	Esaclorobutadiene	1,1-Dicloroetilene	1,1-Dicloroetano
PRA8-00	04/09/2013	<1	<0.1	<0.1	<0.05		
PRB0-00	21/05/2013						
PRB0-00	02/09/2013						
PRB5-00	23/05/2013						
PRB5-00	12/09/2013						
PR-F06-00	15/04/2013	<1	<0.1	<0.1	<0.05		
PR-F06-00	09/10/2013	<1	<0.1	<0.1	<0.05		
PR-F07-00	15/04/2013	<1	<0.1	<0.1	<0.05		
PR-F07-00	09/10/2013	<1	<0.1	<0.1	<0.05		
PR-F10-01	16/04/2013	<1	<0.1	<0.1	<0.05		
PR-F10-01	09/10/2013	<1	<0.1	<0.1	<0.05		
PR-F11-00	15/04/2013	<1	<0.1	<0.1	<0.05		
PR-F11-00	09/10/2013	<1	<0.1	<0.1	<0.05		

		µg/L		µg/L	µg/L	µg/L
Codice_RER	DATA	1,2-Dicloroetilene	1,2-Dicloroetilene-cis	1,1,1-Tricloroetano	Tribromometano	Dibromoclorometano
PRA8-00	04/09/2013	<1		<0.1	<0.1	<0.05
PRB0-00	21/05/2013					
PRB0-00	02/09/2013					
PRB5-00	23/05/2013					
PRB5-00	12/09/2013					
PR-F06-00	15/04/2013	<1		<0.1	<0.1	<0.05
PR-F06-00	09/10/2013	<1		<0.1	<0.1	<0.05
PR-F07-00	15/04/2013	<1		<0.1	<0.1	<0.05
PR-F07-00	09/10/2013	<1		<0.1	<0.1	<0.05
PR-F10-01	16/04/2013	<1		<0.1	<0.1	<0.05
PR-F10-01	09/10/2013	<1		<0.1	<0.1	<0.05
PR-F11-00	15/04/2013	<1		<0.1	<0.1	<0.05
PR-F11-00	09/10/2013	<1		<0.1	<0.1	<0.05

		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Codice_RER	DATA	Bromodiclorometano	Tetraclorometano	Benzene	Etilbenzene	Toluene	Xilene (O)	Xileni (M+P)	Benzo(a)pirene
PRA8-00	04/09/2013	<0.05	<0.1						
PRB0-00	21/05/2013								
PRB0-00	02/09/2013								
PRB5-00	23/05/2013								
PRB5-00	12/09/2013								
PR-F06-00	15/04/2013	<0.05	<0.1						
PR-F06-00	09/10/2013	<0.05	<0.1						
PR-F07-00	15/04/2013	<0.05	<0.1						
PR-F07-00	09/10/2013	<0.05	<0.1						
PR-F10-01	16/04/2013	<0.05	<0.1						
PR-F10-01	09/10/2013	<0.05	<0.1						
PR-F11-00	15/04/2013	<0.05	<0.1						
PR-F11-00	09/10/2013	<0.05	<0.1						

		µg/L	µg/L	µg/L	µg/L	µg/L
Codice_RER	DATA	Dibenzo(a,h)antracene	Benzo(b)fluorantene	Benzo(k)fluorantene	Benzo(g,h,i)perilene	Indeno (1,2,3-c,d) pirene
PRA8-00	04/09/2013					
PRB0-00	21/05/2013					
PRB0-00	02/09/2013					
PRB5-00	23/05/2013					
PRB5-00	12/09/2013					
PR-F06-00	15/04/2013					
PR-F06-00	09/10/2013					
PR-F07-00	15/04/2013					
PR-F07-00	09/10/2013					
PR-F10-01	16/04/2013					
PR-F10-01	09/10/2013					
PR-F11-00	15/04/2013					
PR-F11-00	09/10/2013					

		µg/L	µg/L	µg/L	µg/L	µg/L
Codice_RER	DATA	Idrocarburi policiclici aromatici (somma di 221, 259, 222,224)	ETBE	MTBE	Monoclorobenzene	1,4-Diclorobenzene
PRA8-00	04/09/2013		<0.5	<0.5		
PRB0-00	21/05/2013					
PRB0-00	02/09/2013					
PRB5-00	23/05/2013					
PRB5-00	12/09/2013					
PR-F06-00	15/04/2013		<0.5	<0.5		
PR-F06-00	09/10/2013		<0.5	<0.5		
PR-F07-00	15/04/2013		<0.5	<0.5		
PR-F07-00	09/10/2013		<0.5	<0.5		
PR-F10-01	16/04/2013		<0.5	<0.5		
PR-F10-01	09/10/2013		<0.5	<0.5		
PR-F11-00	15/04/2013		<0.5	<0.5		
PR-F11-00	09/10/2013		<0.5	<0.5		

		µg/L	µg/L	µg/L	UFC/100 mL
Codice_RER	DATA	1,2,3-Triclorobenzene	1,2,4-Triclorobenzene	1,3,5-Triclorobenzene	Escherichia coli
PRA8-00	04/09/2013				
PRB0-00	21/05/2013				
PRB0-00	02/09/2013				
PRB5-00	23/05/2013				
PRB5-00	12/09/2013				
PR-F06-00	15/04/2013				
PR-F06-00	09/10/2013				
PR-F07-00	15/04/2013				
PR-F07-00	09/10/2013				
PR-F10-01	16/04/2013				
PR-F10-01	09/10/2013				
PR-F11-00	15/04/2013				
PR-F11-00	09/10/2013				

		µg/L	µg/L	µg/L
Codice_RER	DATA	Idrocarburi totali (espressi come n-esano)	Sommatoria fitofarmaci	Sommatoria (Aldrin, Dieldrin, Endrin, Isodrin)
PRA8-00	04/09/2013		0,00	
PRB0-00	21/05/2013			
PRB0-00	02/09/2013			
PRB5-00	23/05/2013			
PRB5-00	12/09/2013			
PR-F06-00	15/04/2013		0,00	
PR-F06-00	09/10/2013		0,00	
PR-F07-00	15/04/2013		0,07	
PR-F07-00	09/10/2013		0,80	
PR-F10-01	16/04/2013		0,24	
PR-F10-01	09/10/2013		0,45	
PR-F11-00	15/04/2013		0,00	
PR-F11-00	09/10/2013		0,03	

		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Codice_RER	DATA	2,4-D	2,4-DP	3,4 dicloroanilina	Acetamiprid	Acetoclor	Aclonifen	Alachlor	Atrazina	Atrazina Desetil
PRA8-00	04/09/2013	<0.05	<0.05		<0.01	<0.02	<0.02		<0.01	<0.01
PRB0-00	21/05/2013									
PRB0-00	02/09/2013									
PRB5-00	23/05/2013									
PRB5-00	12/09/2013									
PR-F06-00	15/04/2013	<0.05	<0.05	<0.01	<0.01	<0.02	<0.02	<0.01	<0.01	<0.01
PR-F06-00	09/10/2013	<0.05	<0.05	<0.01	<0.01	<0.02	<0.02	<0.01	<0.01	<0.01
PR-F07-00	15/04/2013	<0.05	<0.05	<0.01	<0.01	<0.02	<0.02	<0.01	<0.01	<0.01
PR-F07-00	09/10/2013	<0.05	<0.05	<0.01	<0.01	<0.02	<0.02	<0.01	<0.01	<0.01
PR-F10-01	16/04/2013	<0.05	<0.05	<0.01	<0.01	<0.02	<0.02	<0.01	<0.01	<0.01
PR-F10-01	09/10/2013	<0.05	<0.05	<0.01	<0.01	<0.02	<0.02	<0.01	<0.01	<0.01
PR-F11-00	15/04/2013	<0.05	<0.05	<0.01	<0.01	<0.02	<0.02	<0.01	<0.01	<0.01
PR-F11-00	09/10/2013	<0.05	<0.05	<0.01	<0.01	<0.02	<0.02	<0.01	0,01	<0.01

		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Codice_RER	DATA	Atrazina Desisopropil (met)	Azinfos-metile	Azoxistrobin	Bensulfuronmetile	Bentazone	Bifenazate	Boscalid
PRA8-00	04/09/2013	<0.01		<0.01	<0.01	<0.05	<0.01	<0.01
PRB0-00	21/05/2013							
PRB0-00	02/09/2013							
PRB5-00	23/05/2013							
PRB5-00	12/09/2013							
PR-F06-00	15/04/2013	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01	<0.01
PR-F06-00	09/10/2013	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01	<0.01
PR-F07-00	15/04/2013	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01	<0.01
PR-F07-00	09/10/2013	0,01	<0.01	<0.01	<0.01	<0.05	<0.01	<0.01
PR-F10-01	16/04/2013	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01	<0.01
PR-F10-01	09/10/2013	0,01	<0.01	<0.01	<0.01	<0.05	<0.01	<0.01
PR-F11-00	15/04/2013	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01	<0.01
PR-F11-00	09/10/2013	<0.01	<0.01	<0.01	<0.01	<0.05	<0.01	<0.01

		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Codice_RER	DATA	Bupirinato	Buprofezin	Carbofuran	Cimoxanil	Ciprodinil	Clorantraniliprolo (DPX E-2Y45)	Clorfenvinfos
PRA8-00	04/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PRB0-00	21/05/2013							
PRB0-00	02/09/2013							
PRB5-00	23/05/2013							
PRB5-00	12/09/2013							
PR-F06-00	15/04/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR-F06-00	09/10/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR-F07-00	15/04/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR-F07-00	09/10/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR-F10-01	16/04/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR-F10-01	09/10/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR-F11-00	15/04/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01
PR-F11-00	09/10/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01

		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Codice_RER	DATA	Cloridazon-iso	Clorpirifos-etile	Clorpirifos-metile	Clortoluron	Diazinone	Difenoconazolo	Dicloran	Diclorvos
PRA8-00	04/09/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PRB0-00	21/05/2013								
PRB0-00	02/09/2013								
PRB5-00	23/05/2013								
PRB5-00	12/09/2013								
PR-F06-00	15/04/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR-F06-00	09/10/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR-F07-00	15/04/2013	0,01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR-F07-00	09/10/2013	0,02	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR-F10-01	16/04/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR-F10-01	09/10/2013	0,01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR-F11-00	15/04/2013	<0.01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02
PR-F11-00	09/10/2013	0,01	<0.01	<0.01	<0.01	<0.02	<0.05		<0.02

[illegible]

		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Codice_RER	DATA	Flufenacet	Fosalone	Imidacloprid	Indoxacarb	Iprovalicarb	Isoxaflutole	Isoproturon	Kresoxim-metile	Lenacil
PRA8-00	04/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01	<0.01
PRB0-00	21/05/2013									
PRB0-00	02/09/2013									
PRB5-00	23/05/2013									
PRB5-00	12/09/2013									
PR-F06-00	15/04/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01	<0.01
PR-F06-00	09/10/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01	<0.01
PR-F07-00	15/04/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01	<0.01
PR-F07-00	09/10/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01	<0.01
PR-F10-01	16/04/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01	<0.01
PR-F10-01	09/10/2013	<0.01	<0.01	0,02	<0.01	<0.01	<0.02	<0.01	<0.01	<0.01
PR-F11-00	15/04/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01	<0.01
PR-F11-00	09/10/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02	<0.01	<0.01	<0.01

		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Codice_RER	DATA	Linuron	Mandipropamid	MCPA	Mepanipirim	Metossifenozone	Mecoprop	Metalaxil	Metamitron	Metazaclo
PRA8-00	04/09/2013	<0.01	<0.01	<0.05	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01
PRB0-00	21/05/2013									
PRB0-00	02/09/2013									
PRB5-00	23/05/2013									
PRB5-00	12/09/2013									
PR-F06-00	15/04/2013	<0.01	<0.01	<0.05	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01
PR-F06-00	09/10/2013	<0.01	<0.01	<0.05	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01
PR-F07-00	15/04/2013	<0.01	<0.01	<0.05	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01
PR-F07-00	09/10/2013	<0.01	<0.01	<0.05	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01
PR-F10-01	16/04/2013	<0.01	<0.01	<0.05	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01
PR-F10-01	09/10/2013	<0.01	<0.01	<0.05	<0.01	<0.01	<0.05	0,01	<0.01	<0.01
PR-F11-00	15/04/2013	<0.01	<0.01	<0.05	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01
PR-F11-00	09/10/2013	<0.01	<0.01	<0.05	<0.01	<0.01	<0.05	<0.01	<0.01	<0.01

[illegible]

[illegible]

		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Codice_RER	DATA	Simazina	Spirotetrammato	Spiroxamina	Tebufenozide	Terbutilazina	Terbutilazina Desetil	Tetraconazolo
PRA8-00	04/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PRB0-00	21/05/2013							
PRB0-00	02/09/2013							
PRB5-00	23/05/2013							
PRB5-00	12/09/2013							
PR-F06-00	15/04/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR-F06-00	09/10/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR-F07-00	15/04/2013	<0.01	<0.01	<0.01	<0.01	0,01	<0.01	<0.01
PR-F07-00	09/10/2013	<0.01	<0.01	<0.01	<0.01	0,36	0,16	<0.01
PR-F10-01	16/04/2013	<0.01	<0.01	<0.01	<0.01	0,06	0,07	<0.01
PR-F10-01	09/10/2013	<0.01	<0.01	<0.01	<0.01	0,09	0,1	0,02
PR-F11-00	15/04/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
PR-F11-00	09/10/2013	<0.01	<0.01	<0.01	<0.01	0,01	<0.01	<0.01

		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Codice_RER	DATA	Tiacloprid	Tiametoxam	Tiobencarb	Trifloxistrobin	Triticonazolo	Zoxamide
PRA8-00	04/09/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PRB0-00	21/05/2013						
PRB0-00	02/09/2013						
PRB5-00	23/05/2013						
PRB5-00	12/09/2013						
PR-F06-00	15/04/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR-F06-00	09/10/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR-F07-00	15/04/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR-F07-00	09/10/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR-F10-01	16/04/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR-F10-01	09/10/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR-F11-00	15/04/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02
PR-F11-00	09/10/2013	<0.01	<0.01	<0.01	<0.01	<0.01	<0.02